

Benchmark®, Induction Slide-in Range, Stainless steel HIIP057C





Included accessories

1 x oven racks /upper 1 x telescopic rack 1 x temperature probe /upper

Optional accessories

HEZBS301 : Low Back Guard SIR Electric/ Induction

HEZTR301: Telescopic Oven Rack 30"

The 30" Benchmark Induction Slide-in Range Combines FlexInduction® Technology with the Innovative Oven featuring a **QuietClose™ Door.**

- Oven is equipped with a self-cleaning cycle that easily cleans itself via 2, 3, and 4 hour cycle options.
- Cook with a 6" or a 9" Element.
- At 4.6 cu. ft., a Large Oven Capacity Accommodates Most Pots and Pans.
- The New Bosch Slide-in Range Fits in Any Freestanding Range Cutout.
- The Warming Drawer Keeps Everything You Cook Warm and Ready to Serve.

Technical Data

Total number of cooktop burners: 4

Cooking mode: 3rd element convection, Convection Bake, Convection Broil, Conventional heat, Dough proving setting, Half width variable grill, Pizza setting, warming, Warming drawer

Integrated Cleaning system: Self Clean

Type of control : Electronic

Included accessories : 1 x oven racks /upper, 1 x telescopic

rack, 1 x temperature probe /upper

Sealed Burners: No

Bake Element Wattages cavity 1: 2400 W Broil Element Wattages cavity 1:3800 W Convection Element Wattages cavity 1: 2000 W

Number of gas burners : 0

Location of 1st heating element : front left Location of 2nd heating element : center left Location of 3rd heating element : back left Location of 4th heating element : middle back Location of 5th heating element : back right Location of 6th heating element : center right

Display Color: red, white



Benchmark®, Induction Slide-in Range, Stainless steel HIIP057C

The 30" Benchmark Induction Slide-in Range Combines FlexInduction® Technology with the Innovative Oven featuring a QuietClose™ Door.

- 30" Induction Slide-in Range, HIIP057C, Stainless Steel

Design

- Touch Control for Easier Operation of the Oven

Performance

- 11 Specialized Cooking Modes Gourmet Cooking Made Easy
- PreciseSelect® Direct Cooking Level Selection (17 Settings)
- Temperature Conversion for Convection Cooking
- Genuine European Convection for Even Baking Results on Multiple Racks.
- Meat Probe Takes the Guesswork Out of Cooking

Convenience

- Each Cooking Zone Has an Independent CountDown Timer
- SafeStart Ensures that Element is Only Activated, if Suitable Cookware is in Position; no Activation When Other Metal Objects are Placed on Element
- A Full-Extension Telescopic Rack Offers Better Access to the Oven Cavity.
- Fast Preheat Reduces Heating Time.
- Two Oven Lights to Better Monitor Cooking Progress
- Extra Large Door Window for Easy Monitoring of Cooking Process
- Star-K certified. Temperature range: 100° 450° F

Capacity

- Large Capacity at 4.6 Cu Ft. Accomodates Most Pots and Pans
- Recessed 8 Pass Broil Element for Increased Capacity and Safety

Accessories Included


- Use and Care Manual, Installation guide and Standard Rack


Optional Accessories

- HEZTR301 30" Telescopic Rack
- HEZBS301 Low Back Guard, Induction




Benchmark®, Induction Slide-in Range, Stainless steel HIIP057C





measurements in mm



measurements in inches (mm)