



24" Built-In Dishwasher with EvenDry  $^{\text{TM}}$  System

Dishwasher

Available Products: FPID2498SF

Available Colors: Stainless Steel

Version: 08/22

## **Product Specifications**

| Dishwasher  |                 | Dishwasher Cycles                           |            |
|---|-----------------|---|------------|
| Automatic Temperature Control   | No              | China Crystal                               | Yes        |
| Filter Material   | Stainless Steel | Energy Saver                                | Yes        |
| Filter Trap   | Removable       | Favorite                                    | Yes        |
| Hard Food Disposer or Filtration  | Yes             | Heavy                                       | Yes        |
| Interior Light  | No              | Normal                                      | Yes        |
| Place Setting Capacity  | 14              | Number of Cycles                            | 7          |
| Rinse Aid Dispenser   | Yes             | Quick                                       | Yes        |
| Smart Soil Sensor   | Yes             | Rinse Only                                  | Yes        |
| Spray Arm   | Orbit           |   |            |
| Tub Design  | Tall Tub        | Lower Rack                                  |            |
| Tub Material  | Stainless Steel | Fold-Down                                   | Yes        |
| Wash Levels   | 5               | Minimum Height Clearance                    | 11"        |
| Wash System   | Direct Feed     | Maximum Height Clearance                    | 13"        |
| Water Pressure  | 90 psi          | Number of Silverware Basket                 | 1          |
| Water Usage   | 8 Gallons       | Number of Silverware Basket Lids            | 3          |
| ·   |                 | Rack Coating                                | Nylon      |
| Dishwasher Options  |                 |   | <i>y</i> - |
| Drying System   | Even Dry        | Third Level Rack                            |            |
| Heated Dry  | Yes             | Rack Handles                                | Yes        |
| High Temperature  | Yes             | ruck rundes                                 | 103        |
| 0 - 1   |                 | Exterior                                    |            |
| Upper Rack  |                 | Door Latch                                  | Pull       |
| Cup Shelf   | Yes             | Door Type                                   | StayPut    |
| Fold-Down   | Yes             | Door Type                                   | StayPut    |
| Stemware Holder   | Yes             | The state of Constitutes                    |            |
| Stelliware Holder   | 163             | Electrical Specifications                   | 100 17     |
| Controls  |                 | Voltage Rating                              | 120 V      |
| Delay Start Hours   | 24              |   |            |
| Digital Display   | Yes             | — General Specifications                    | 0=017.7    |
| Control Lock  | Yes             | Annual Energy                               | 270 kWh    |
| Control Lock  | 163             | Prop 65 Label                               | No         |
| Dimensions and Volume   |                 | Sound Level                                 | 47 dBA     |
| Dimensions and Volume   | 22.2740         | Warranty - Labor                            | 1 Year     |
| Width   | 23 3/4"         | Warranty - Parts                            | 1 Year     |
| Depth | 24 1/4"         |   |            |
| Depth With Door Open  | 50 1/4"         | —— Performance Certifications and Approvals |            |
| Minimum Height  | 33 3/4"         | CEE Tier                                    | Tier 1     |
| Maximum Height  | 35 3/4"         | ENERGY STAR Certified                       | Yes        |
|   |                 |   |            |
| Installation  |                 |   |            |
| Connection Location   | Right Bottom    |   |            |
| NI I CI II II .   | 5               |   |            |

Number of Leveling Legs Water Inlet Location

Left Bottom Front

| 24" Built-In Dishwasher with EvenDry™ System | Dishwasher                        |
|--|-----------------------------------|
| Available Products: FPID2498SF               | Available Colors: Stainless Steel |
| Version: 08/22                               |                                   |

## **Certifications and Approvals**

| ADA Compliant                              | No  |
|--|-----|
| <b>Safety Certifications and Approvals</b> |     |
| UL Listed                                  | Yes |
| ETL Listed                                 | No  |
| Meets ASSE 1006 Requirements               | Yes |
| NSF Certified                              | Yes |

24" Built-In Dishwasher with EvenDry™ System


Dishwasher

Available Products: FPID2498SF

Available Colors: Stainless Steel

Version: 08/22

## **Installation Diagram**



standard cabinetry cutout. (Dimensions do NOT include insulation insulation blanket may be compressed during installation.)

(bottom rear)

