

CAPACITY(2014)

REF	17
CustomChill	3.6
FZR	8.9
TTL	29.5

ENERGY

Energy Standard (2014)	ENERGY STAR®
kWh/Year (2014)	799

ICE SYSTEM

Dispenser Type	Integrated Tall Ice & Water Dispenser
System Type	Slim SpacePlus®
Daily Ice Production	3.5 lbs / 3.8 (IcePlus) 0.7 lbs (Clear Big Ice)
Craft Ice™ Daily Ice Production	6 / 3
Ice Storage Capacity	2.5 + 4.0 lbs
Cube & Crushed Ice	Yes
IcePlus™	Yes
Dual Ice	No
Dual Ice with Craft Ice™	Yes

Water Filter	LT1000P
---------------------	---------

Measured Fill	Yes
----------------------	-----

Dispenser Light	Yes
------------------------	-----

COOLING

Type	Smart Cooling™ Plus System
-------------	----------------------------

Multi Air Flow Cooling	Yes
-------------------------------	-----

Temperature Sensors	9
----------------------------	---

Compressor Type	Inverter Linear Compressor
------------------------	----------------------------

Refrigerant [Name / Amount(g)]	Low GWP, Zero ODP and More Energy Efficient Refrigerant (R600a)
---------------------------------------	---

Refrigerant [Name / Amount(oz)]	Low GWP, Zero ODP and More Energy Efficient Refrigerant (R600a)
--	---

Fresh Air Filter	Yes
-------------------------	-----

FRESHShield™	No
---------------------	----

Evaporator	2
-------------------	---

DISPLAY & ETC.

Display Type	Smooth Touch Control / White LED
---------------------	----------------------------------

Temperature Controls	Electronic/Digital
-----------------------------	--------------------

Door Alarm	Yes
-------------------	-----

Child Lock	Yes
-------------------	-----

Decibel™ Quiet Operation	Yes
--------------------------	-----

Smart Diagnosis	Yes
-----------------	-----

Auto Closing Door Hinge	Yes
-------------------------	-----

wi-fi Enabled	Yes
---------------	-----

ThinQ®	Yes
--------	-----

PCC (Proactive Customer Care)	Yes
-------------------------------	-----

Wifi Eclipse Display	No
----------------------	----

Special Features	Door Cooling+
------------------	---------------

Sabbath	Yes
---------	-----

ADA Compliant	N/A
---------------	-----

REFRIGERATOR

Door-in-Door®	No
---------------	----

Door-In-Door® with ColdSaver™ Panel	No
-------------------------------------	----

No. of Shelves	4 Split (3 Fixed + 1 Folding)
----------------	-------------------------------

Folding Shelf	1
---------------	---

Cantilevered Shelves	Hybrid Cantilevered
----------------------	---------------------

Shelf Construction	Spill Protector™ Tempered Glass
--------------------	---------------------------------

Crisper Bins	2 Humidity Crispers
--------------	---------------------

Full-Convert™ Drawer	Yes
----------------------	-----

Glide N' Serve™ Drawer	Yes
------------------------	-----

Temperature Control Pantry	No
CoolGuard	No
EasyReach™ Bins	No
Auto Open Door™	No
LUMIShelf™	No
Dividers	No
Handle Type	Bar
CUSTOMCHILL™	No
Glide N' Access™ Shelf	No
Refrigerator Light	Micro Surface LED
No. of Door Bins	6
Adjustable Door-in-Door® Bin	No
Door Bin Construction	1 Piece (Clear)
Dairy Corner/Bin	No

CUSTOMCHILL

Dividers	Yes(2)
Temperature Range	41 / 37 / 33 / 29 / 5~ -7
Handle Type	Bar

FREEZER

Door Type	Pull Drawer
Drawers / Shelves	2-Tier Organization
DuraBase™ Solid Drawer Base	Yes
Drawer Divider	Yes
Freezer Light Upper	LED Lighting
Freezer Light Lower	LED Lighting
Freezer Handle	SmartPull™ Handle
No. of Door Bins / Construction	N/A
Ice Bin / In Door Ice	N/A

MATERIALS & FINISH

Contour Door	Yes
Hidden Hinges	Yes
Toe Grille	No
Surface	Smooth
Handles	Matching Commercial Handles
Available Colors	Stainless Steel
Insulation	Low GWP and Zero ODP Blowing Agent

DIMENSIONS

Width	35 3/4"
-------	---------

Height to Top of Hinge	70 1/4"
Depth with Handles	38 1/8"
Width (Door Open 90° without Handle)	40 3/4"
Case Edge Clearance (Door Fully Open)	31 7/8"
Width (Door Open 90° with Handle)	45 3/8"
Width (Door Fully Open without Handle)	67 1/2"
Door Edge Clearance with Handle	4 5/8"
Door Edge Clearance without Handle	2 1/4"
Height to Top of Case	69 1/8"
Height (Floor to Top of Drawer)	33 1/4"
Depth without Door	31"
Depth without Handles	35 3/4"
Depth (to Hinge Cover)	23 3/4"
Depth (Total with Door 90 Open)	50 1/8"
Depth (Draw Open Fully without Handle)	57 1/8"
Installation Clearance	Sides 1/8", Top 1", Back 2"
Weight (Unit/Carton)	331 lns / 358 lbs
Carton Dimensions (WxHxD)	38" x 73" x 40"

UPC

UPC	195174032992
-----	--------------

LIMITED WARRANTY

Parts & Labor	1 Year
Sealed System (Parts & Labor)	5 Years
Compressor (Parts & Labor)	5 Years
Linear Compressor (Parts Only)	6-10 Years