


HPD24414W

24" Ventless Heat Pump Dryer



GENERAL PROPERTIES

| | |
|------------------------|--------------------|
| Dryer Type | Heat pump ventless |
| Capacity cu. ft. | 4.5 |
| Dry load capacity kg | 8.0 |
| Dry load capacity lbs. | 17.7 |
| Drum material | Stainless steel |
| Control | Digital Display |
| Silence level dBA | 66 |
| Automatic water drain | Yes |
| Delay Time | 0-24 h |



PREMIUM TECHNOLOGY



COMPACT LAUNDRY

Small but mighty with superior cleaning and drying performance



STACKING KIT

Beko washer & dryers don't require any extra hardware to stack and start saving space



VENTLESS HEAT PUMP

Gently and effectively removes moisture from clothes

HPD24414W

24" Ventless Heat Pump Dryer



CYCLES

| | |
|-------------------------|-----|
| Number of Cycles | 15 |
| Normal / Regular cotton | Yes |
| Permanent press | Yes |
| Mixed fabric | No |
| Delicates | Yes |
| Bulky / Large Items | Yes |
| Air Fluff / no heat | Yes |
| Jeans | Yes |
| Baby sanitize | Yes |
| Silent Program | Yes |
| Fitness Wear | Yes |
| Quick Dry 30' | Yes |
| Timed Dry | Yes |
| Download Cycle | Yes |
| Gentle Care | Yes |
| Easy Iron | Yes |

FUNCTIONS

| | |
|---------------------------------|-----|
| End of cycle buzzer | Yes |
| Child lock | Yes |
| Automatic easy ironing | Yes |
| Interior drum led lighting | No |
| Glass door with heat protection | Yes |
| Reversible glass door | Yes |
| Program follower | Yes |
| Leveling legs | 4 |
| Clean filter indicator | Yes |
| Bi-directional drum action | Yes |
| Auto cool-down phase | Yes |

MATERIALS AND FINISHES

| | |
|---------------------|--------|
| Cabinet | White |
| Door rim | Chrome |
| Cycle selector knob | Black |

DIMENSIONS

| | |
|-------------------------------|------------------------------|
| Product Dimensions (HxWxD) in | 33 5/16" x 23 5/8" x 27 1/2" |
| Product Dimensions (HxWxD) cm | 84.6 x 60 x 69.9 |
| Product Weight kg | 59 |
| Product Weight lbs. | 122 |

TECHNICAL INFORMATION

| | |
|--------------------|---------------|
| Rated Current Amps | 4A |
| Voltage/Frequency | 208/240V/60Hz |
| Circuit Required | 30A Dedicated |
| Watts (W) | 900 |

ENVIRONMENTAL STANDARDS

| | |
|------------------------------|-----|
| Energy star qualified | Yes |
| Energy consumption, kWh/year | 181 |

ACCESSORIES


| | |
|-----------------------|---------------------------------|
| Stacking Kit Included | Yes (2974640200 and 2974640300) |
|-----------------------|---------------------------------|

HPD24414W

24" Ventless Heat Pump Dryer




Dimensions and Installation



Stacked installation minimum air gap clearances:

6 1/4" top, 1/2" sides, 1/2" back, front 1/2"



NOTE TO THE INSTALLER: All height, width, and depth dimensions are shown in inches (as well as metric). Beko U.S., Inc. reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Please visit our website, www.BekoAppliances.com, or call 888.352.2356 to verify the latest specifications with final dimensional data and other details prior to installation and making a cutout. Applicable product limited warranty information may be found in accompanying product materials, or you may contact your account manager for further details. Proper installation is the responsibility of the installer. Product failure due to improper installation is not covered under the Limited Warranty.