

SUMMARY

Type	Front Load Dryer, Electric
Vent Type	Vented
Matching Washer	WM5500HVA
Steam	Yes
Color	Graphite Steel (V)
On-Door Electronic Control Panel with LED Display	No
LCD Display	Yes
Hard Buttons	No
Dial-A-Cycle®	Yes
Touch Buttons	Yes
Full Touch Electronic Control Panel with LED Display	No

CAPACITY

Capacity	7.4 cu. ft.
----------	-------------

DRYER PROGRAMS

No. of Programs	23
Programs (Sensor Dry)	Normal, AI Dry, Bedding, Delicates, Towels, Quick Dry,Timed Dry, Power Dry, Perm.Press, SteamFresh™, Heavy Duty, Air Dry, Steam Sanitary™, Super Dry, Active Wear, Jeans, Blanket Refresh, Low Temp Dry, Overnight Dry, Easy Ironing, Small Load, Large Load Dry,X Large Load Dry
No. of Options	12
Options	Cycle Optimization, Damp Dry Signal, Wrinkle Care, Control Lock, Wi-Fi, Energy Saver, TurboSteam®, Reduce Static, Remote Start, Drum Light, Signal, Cycle List Edit
Temperature Settings	Very Dry, More Dry, Normal Dry, Less Dry, Damp Dry
Drying Levels	Very Dry, More Dry, Normal Dry, Less Dry, Damp Dry
Dry Mode	No
Manual Dry Times	10 min ~ 100 min (10 min incremental)

FABRIC CARE FEATURES

AI Sensor Dry™	Yes
Sensor Dry	Yes
Precise Temperature Control with Variable Heater	Yes
Precise Temperature Control with Variable Compressor	No
Steam	TurboSteam™

CONVENIENCE FEATURES

3 Minute Installation Check	Yes
End of Cycle Signal	Yes
Drum Light	Yes
Reversible Door	Yes
FlowSense® Duct Clogging Indicator	Yes
Wrinkle Care Option	Yes
Control Lock	Yes
Venting Option	4 Way Venting
4 Adjustable Legs	Yes
Remaining Time Display/Status Indicator(s)	Yes

THINQ® TECHNOLOGY

Smart Diagnosis™ (v3.0)	Yes
WiFi	Yes
NFC Tag On Technology	No
Remote Start and Cycle Monitor	Yes
Energy Monitoring	Yes

ENERGY

ENERGY STAR® Certified	Yes
CEF	3.94

MATERIALS AND FINISHES

Aluminized Alloy Steel Drum	No
NeveRust® Stainless Steel Drum	Yes
Cabinet	Painted Steel
Door	Tempered Glass Door
All Available Colors	Graphite Steel (V)

POWER SOURCE

Ratings	CSA Listed
Electrical Requirements	120/240V, 60Hz, 26A (120/208V, 60Hz, 23A)
Type	Electric

OPTIONS/ACCESSORIES

Pedestal	WDP6V
----------	-------

DIMENSIONS

Product (WxHxD)	27" x 39" x 29 3/4"
Depth with Door Open	51 3/8"
Carton (WxHxD)	28 7/8" x 43 1/8" x 31 3/8"
Weight (Product)	124.3 lbs
Weight (Carton)	136.5 lbs
Pedestal (WxHxD)	27" x 13 5/8" x 28" (43 7/8" D with door open)

WARRANTY & UPC

Parts & Labour	1 Year
Drum	3 Years
UPC	195174056417