



EXPLORATION HICKORY

Engineered



7092 Delta

EXPLORATION HICKORY



	US Units	Metric Units
Style Number	SW740	
Construction	Engineered	
Species	Hickory	
Nominal Overall Thickness	3/8"	8.2 mm
Nominal Width	6.38"	162.05 mm
Finish	Repel - Water Resist	
Gloss Level	7%	
Surface Texture	Wirebrushed	
Edge Description	Micro Bevel	
End Description	Micro Bevel	
Profile	Tongue And Groove	
Weight per Carton	46.4 lbs	21.04 kg
SQFT per Carton	30.48 sq ft	2.83 sq m
SQFT per Pallet	1371.6 sq ft	127.42 sq m
Installation Methods	Nail, Staple, Glue, Floating	
Installation Grade	Above, On, Below	
GREENGUARD® Certified	Yes	
Radiant Heat Approved	Yes	
Residential Warranty	Splash-Proof Lifetime	
Commercial Warranty	5 Year Commercial	
Regional Availability	Not Available in Canada	
All measurements are nominal.	Cartons may include random lengths.	

Features

Clean and classic with timeless appeal, Exploration Hickory from Shaw Floors creates a beautiful foundation for any room. This style is part of the REPEL Collection with Splash-Proof Technology that guards against splashes and spills 2x better than untreated hardwood. It also features superior dent resistance and ScufResist® Platinum finish to guard against scuffs.

Suggested Adhesive

Style Name	Style Number
35MC	HS105
Urebond Plus	SWADH

Trim Pieces length: 78" (*Overlap Reducer and Overlap Stairnose are designed for floating installations only. These items are non-stocking - but are available through a quick-ship program. Delivery should take approximately 2 to 3 weeks.)



SRW38
Flush Reducer



SORW8
*Overlap Reducer



SSW38
Flush Stairnose



SOSW8
*Overlap Stairnose



SCW38
Threshold / Carpet
Reducer



TMW78
T-Molding



QTR96
Quarter Round

Trim images are for illustration purposes only. Actual dimensions will vary. Contact the Shaw Information Center for additional details: 800-441-7429.




MADE IN THE USA



EXPLORATION HICKORY




1103 Dune



1105 Inlet



7088 Compass



7092 Delta