

ACCESSORIES

Wall Case	RAB46/47/48/26 Required At Additional Cost
------------------	--

APPEARANCE

Color Appearance	Soft Gray
Installation	Wall Mounted

CAPACITY

Cooling BTUH (MAX)	10,000 Btu
Cooling BTUH (MIN)	9,800 Btu
Dehumidification (pts./hr.)	2.7/2.7
Heating - Electric - BTUH - AHAM - 1R	10600/8600

FEATURES

Air Discharge	Over / Under
Airflow (cfm) Roomside (hi/low)	285/245, 275/235
Chassis Type	Slide-In
Control Type	Electronic
Cord Length	68"
Fan Speed Selections	3 Cooling 3 Fan Only
Filter Type	Rigid Frame Tilt-Out Washable

Heating - Electric - Input Watts	3470/2850
Hertz	60
Louver Style	6-Way
Optional Grill	RAG13/RAG13A/RAG14E
Outdoor Vent / Exhaust	Yes
Plug Type	Perpendicular/Right Angle LCDI
Product Type	Built-In
Refrigerant Type	R32
Remote Control	Yes
Room Air Conditioner Features	Smart Fan Switch Remote Control Batteries Included Improved Corrosion Package
Rotary Compressor	Yes
Style	Thru-Wall
Temperature Range	60->85 F
Thermostat Type	Electronic Digital
Unit Type	Heat / Cool Unit
WiFi Connect	Built-In

POWER / RATINGS

CEER	9.6/9.6
Cooling - Rated Cooling Amps AHAM	4.6/5.1
Cooling - Watts	1030/1010

Heating - Electric - Heater Amps	15.1/14.0
Voltage (MAX)	230 V
Voltage (MIN)	208 V
Voltage/Hertz/Phase	230-208/60/1
Volts/Hertz	230V-208V/60Hz

WARRANTY

Labor Warranty	Limited 2-year entire appliance Limited 5-year sealed refrigerating system
Parts Warranty	Limited 2-year entire appliance Limited 5-year sealed refrigerating system
Warranty Notes	See written warranty for full details

WEIGHTS & DIMENSIONS

Approximate Shipping Weight	81 lb
Depth to Louvers	5 in
Net Weight	81 lb
Overall Depth	21 13/16 in
Overall Depth (Excludes Sleeve)	19 29/32 in
Overall Height	15 5/8 in
Overall Height (Excludes Sleeve)	14 7/8 in
Overall Width	26 in
Overall Width (Excludes Sleeve)	24 13/16 in