

APPEARANCE

| | |
|-------------------------|------|
| Color Appearance | Gray |
|-------------------------|------|

CAPACITY

| | |
|----------------------|------------|
| Unit Capacity | 40 Gallons |
|----------------------|------------|

FEATURES

| | |
|---|--|
| Altitude Rating | 10,100 ft |
| Anode Rod | Magnesium |
| Bin Testing | High |
| Configuration | Short |
| Controls | LED Indicator |
| Drain Valve Type | Plastic |
| Family Size | 2-5 People |
| Fuel Type | Natural Gas (factory set) |
| FVIR Safety System | Prevents accidental ignition of flammable vapors |
| Gas Valve | Self Powered |
| Height Description | Short |
| Overheat Protection | Dry Burning Protection |
| Pilot Light Window / Button | Yes |
| Product Type | Gas |
| Temp & Pressure Relief Valve | Yes |
| Temperature Setting | 45-160° F Range |

| | |
|----------------------------------|-------------|
| UEF | .64 |
| Vent | Atmospheric |
| Water Connection Location | Top |

POWER / RATINGS

| | |
|--------------------------------|----------|
| Burner BTU Size (k) | 38 |
| First Hour Delivery GPH | 78 gal/h |

WARRANTY

| | |
|-----------------------|---------------------------------------|
| Labor Warranty | 1-year limited |
| Parts Warranty | 8-year limited |
| Warranty Notes | See written warranty for full details |

WEIGHTS & DIMENSIONS

| | |
|---|-----------|
| Approximate Shipping Weight | 140 lb |
| Connection Sizes - Hot Water Outlet (MNPT) | 3/4" |
| Connection Sizes - Water Inlet (MNPT) | 3/4" |
| Height to Gas Control | 11 1/4 in |
| Net Weight | 133 lb |
| Overall Depth | 22 in |
| Overall Height | 52 1/4 in |

| | |
|---|----------------|
| Overall Width | 22 in |
| Product Diameter | 22 in |
| Product Height (to top of unit) | 48 7/8 in |
| Product Height (to top of water inlet/outlet connections) | 50 3/8 in |
| Vent Size | 3" Type B Vent |