

APPEARANCE

Color Appearance	Grey
Easy-Roll Casters	Yes

CAPACITY

Bucket Capacity	14.0 pt
Dehumidification (pts./day)	50 pt

FEATURES

"Water Full" Indicator Lamp	Yes
Air Discharge	Top
Automatic Defrost Control	Yes
Built-In Pump	Yes
Control Type	LED Digital Display
Dry Airflow (CFM) High/Low	190/135
External Drain Connector	Yes
Fan Speed Selections	2
Filter Type	Permanent Mesh Slide-Out
Humidistat	Adjustable
Low Temp Operation	Yes

Plug Capacity	125V/15A
Plug Type	A / 5-15P
Power Cord Length	5.6'
Product Type	Dehumidifiers
Refrigerant Type	R32
Timer	24 Hr On/Off
Unit Features	24 hr. On/Off Timer Auto Restart Bucket Full Beep Alarm Check filter Smart Dry

POWER / RATINGS

Amps	6.8
Circuit Size (Amps)	15
Integrated Energy Factor	1.7999999523163
Sound Level (Low)	47 dBA
Sound Level (Max)	50 dBA
Voltage (MAX)	115 V
Voltage/Hertz/Phase	115/60/1
Watts	520

WARRANTY

Parts Warranty	1-Year Replacement Return to vendor
Warranty Notes	See written warranty for full details

WEIGHTS & DIMENSIONS

Approximate Shipping Weight	46.3 lb
Net Weight	43 lb
Overall Depth	10 1/2 in
Overall Height	24.20 in
Overall Width	14.90 in