Integrated Double DishDrawer™ Dishwasher, Tall, Sanitize

Series 9 | Integrated

Panel Ready




Doing the dishes got easier. Load one drawer while the other washes – with the top drawer fitting your large dinner plates easily.

- Knock to pause function is perfect if you miss a dish
- Six wash programs, as well as additional Quick wash, Sanitize and Extra Dry options
- Flexible racking can be folded down to fit bigger dishes

• Customize with your own kitchen cabinetry or purchase our stainless steel door panel accessory

DIMENSIONS

Height	34 - 36 3/8"
Width	23 9/16″
Depth	22 1/2"



FEATURES & BENEFITS

SEAMLESS INTEGRATION

Slide your DishDrawer™ Dishwasher into an existing kitchen space or integrate into kitchen cabinetry, for a seamless look whilst delivering superior dish care.

EASE OF USE

DishDrawer™ Dishwashers are as easy to open and close as

FISHER & PAYKEL

kitchen drawers and can be conveniently positioned at bench height for ease of loading and minimal bending. Flexible racking allows you to make adjustments to fit in a variety of dishes.

INDEPENDENT WASH

With the ability to use both drawers independently and select different wash programs the DishDrawer[™] Dishwasher can wash everything from fine glass and crystal to heavily soiled pots and pans.

TRUE HALF LOAD

Each drawer holds a true half load for guilt-free small washes and fast turnaround of your dishes. Both drawers operate independently so different wash cycles can run simultaneously to accommodate a variety of loads.

QUICK, SANITIZE AND EXTRA DRY OPTIONS

The Quick wash modifier delivers a faster wash while maintaining performance. The Sanitize option provides extra protection killing 99.9% of bacteria in the final rinse. The Extra Dry setting is perfect for plastic dishes.

KNOCK TO PAUSE

Instead of needing a remote control, these DishDrawer™ Dishwashers have a knock to pause function. A knock on the front panel will pause the dishwasher which can be re-started again by using the start/play button.

QUIET PERFORMER

Running at a very low decibel rating, these DishDrawer™ dishwashers do their job without making a fuss. The combination of intelligent technology and simple mechanics means greater reliability and excellent wash performance.

SPECIFICATIONS

Accessories

Contemporary round handle	AHS-OBDD-60S
Contemporary square fine	AHD5-OBDD-60S
Contemporary square handle	AHD3-OBDD-60S

QUICK REFERENCE GUIDE > DD24DTI9 N

	Cutlemy hardvet
	Cutlery basket
	Kickstrip
	Knife clip and multipurpose
AHP3-DWDD-S	Professional round flush handle
ADDD24DTP	Stainless steel door panel
	Capacity and loading
12.25" (top) 11" (bottom	Accommodates round plates
	Adjustable height, foldable
	Fold down tines
	Pitch adjustable tines
14	Place settings
	Consumption
Energy sta	Consumption Energy rating
Energy sta 263 kWh/yea	
	Energy rating
263 kWh/yea	Energy rating Energy usage
263 kWh/yea	Energy rating Energy usage Water usage (per wash cycle)
263 kWh/yea	Energy rating Energy usage Water usage (per wash cycle) Controls
263 kWh/yea	Energy rating Energy usage Water usage (per wash cycle) Controls Child lock
263 kWh/yea	Energy rating Energy usage Water usage (per wash cycle) Controls Child lock Electronic fault/Diagnostic
263 kWh/yea	Energy rating Energy usage Water usage (per wash cycle) Controls Child lock Electronic fault/Diagnostic End of cycle beeps
263 kWh/yea	Energy rating Energy usage Water usage (per wash cycle) Controls Child lock Electronic fault/Diagnostic End of cycle beeps Energy saving delay start
263 kWh/yea	Energy rating Energy usage Water usage (per wash cycle) Controls Child lock Electronic fault/Diagnostic End of cycle beeps Energy saving delay start Internal wash selector

Fan assisted drying

Flood protection	
Flow through detergent	•
Quiet operation	
SmartDrive™ technology	
Performance	
Noise on gentle cycle top	44dBA
Power requirements	
Amperage	9.6A
Electric circuit	3 wire
Rated current	15A
Supply frequency	60Hz
Supply voltage	120V
Product dimensions	
Depth	22 1/2"

34 - 36 3/8"

Limited 2 years

23 9/16"

•

٠

3

 Delicate
 •

 Eco
 •

 Fast
 •

 Heavy
 •

 Medium
 •

 Rinse
 •

 Wash programs
 6

 Water connection
 •

Inlet water temperature	max 140°F
Supplied hose to suit 3/8"	•
SKU	82338

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. ? Fisher & Paykel Appliances Ltd 2020

Wash Program Modifiers

Height

Width

Warranty Parts and labor

Extra Dry

Wash modifiers

Wash Programs

Quick Sanitize

FISHER & PAYKEL

Other product downloads available at fisherpaykel.com

- ↓ Quick Start Guide
- Service & Warranty
- ✓ Installation Guide Double DishDrawer™
- → Data Sheet Integrated Double DishDrawer



A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 Wwww.fisherpaykel.com