

Digital FM

CS

Frequency Range (Frequency step)	87.9MHz - 107.9MHz (200kHz)
Frequency Response (± 3.0 dB)	20Hz - 20kHz
S/N	80dB (STEREO)

Digital AM

Frequency Range (Frequency step)	530kHz - 1700kHz (10kHz)
Frequency Response (± 3.0 dB)	40Hz - 15kHz
S/N	80dB (STEREO)

FM

Frequency Range (Frequency step)	87.9MHz - 107.9MHz (200kHz)
Usable sensitivity	9.3dBf
S/N30dB	0.8 μ V/75 Ω
Quieting sensitivity	10.2dBf
DIN S/N 46dB	1.13 μ V / 75Ohms
Frequency response (± 3.0 dB)	30Hz - 15kHz
S/N (dB)	65dB (MONO)
Selectivity	Over 80dB (± 400 kHz)
Stereo separation	45dB (1kHz)

AM

Frequency Range (Frequency step)	530kHz - 1700kHz (10kHz)
Usable sensitivity	28dB μ

Video

Color system of external video input	NTSC/PAL
External video input level (Mini jacks)	1 Vp-p / 75 Ohms
External audio max input level (Mini jacks)	2 V / 25 kOhms
Video Input level (RCA jacks)	1 Vp-p / 75 Ohms
Video Output level (RCA jacks)	1 Vp-p / 75 Ohms
Audio Output level (Mini jacks)	0.9 V / 10 kOhms

Audio

Maximum Power Output (Front&Rear)	50Wx4
	Full Bandwidth Power

Digital FM

Frequency Range (Frequency step)	87.9MHz - 107.9MHz (200kHz)
Frequency Response (±3.0 dB)	20Hz - 20kHz
S/N	80dB (STEREO)

Digital AM

Frequency Range (Frequency step)	530kHz - 1700kHz (10kHz)
Frequency Response (±3.0 dB)	40Hz - 15kHz
S/N	80dB (STEREO)

FM

Frequency Range (Frequency step)	87.9MHz - 107.9MHz (200kHz)
Usable sensitivity	9.3dBf
S/N30dB	0.8μV/75Ω
Quieting sensitivity	10.2dBf
DIN S/N 46dB	1.13μV / 75Ohms
Frequency response (±3.0dB)	30Hz - 15kHz
S/N (dB)	65dB (MONO)
Selectivity	Over 80dB (±400kHz)
Stereo separation	45dB (1kHz)

AM

Frequency Range (Frequency step)	530kHz - 1700kHz (10kHz)
Usable sensitivity	28dBμ

Video

Color system of external video input	NTSC/PAL
External video input level (Mini jacks)	1 Vp-p / 75 Ohms
External audio max input level (Mini jacks)	2 V / 25 kOhms
Video Input level (RCA jacks)	1 Vp-p / 75 Ohms
Video Output level (RCA jacks)	1 Vp-p / 75 Ohms
Audio Output level (Mini jacks)	0.9 V / 10 kOhms

Audio

Maximum Power Output (Front&Rear)	50Wx4
	Full Bandwidth Power

Digital FM

CS

Frequency Range (Frequency step)	87.9MHz - 107.9MHz (200kHz)
Frequency Response (±3.0 dB)	20Hz - 20kHz
S/N	80dB (STEREO)

Digital AM

Frequency Range (Frequency step)	530kHz - 1700kHz (10kHz)
Frequency Response (±3.0 dB)	40Hz - 15kHz
S/N	80dB (STEREO)

FM

Frequency Range (Frequency step)	87.9MHz - 107.9MHz (200kHz)
Usable sensitivity	9.3dBf
S/N30dB	0.8μV/75Ω
Quieting sensitivity	10.2dBf
DIN S/N 46dB	1.13μV / 75Ohms
Frequency response (±3.0dB)	30Hz - 15kHz
S/N (dB)	65dB (MONO)
Selectivity	Over 80dB (±400kHz)
Stereo separation	45dB (1kHz)

AM

Frequency Range (Frequency step)	530kHz - 1700kHz (10kHz)
Usable sensitivity	28dBμ

Video

Color system of external video input	NTSC/PAL
External video input level (Mini jacks)	1 Vp-p / 75 Ohms
External audio max input level (Mini jacks)	2 V / 25 kOhms
Video Input level (RCA jacks)	1 Vp-p / 75 Ohms
Video Output level (RCA jacks)	1 Vp-p / 75 Ohms
Audio Output level (Mini jacks)	0.9 V / 10 kOhms

Audio

Maximum Power Output (Front&Rear)	50Wx4
	Full Bandwidth Power

Digital FM

CS

Frequency Range (Frequency step)	87.9MHz - 107.9MHz (200kHz)
Frequency Response (±3.0 dB)	20Hz - 20kHz
S/N	80dB (STEREO)

Digital AM

Frequency Range (Frequency step)	530kHz - 1700kHz (10kHz)
Frequency Response (±3.0 dB)	40Hz - 15kHz
S/N	80dB (STEREO)

FM

Frequency Range (Frequency step)	87.9MHz - 107.9MHz (200kHz)
Usable sensitivity	9.3dBf
S/N30dB	0.8μV/75Ω
Quieting sensitivity	10.2dBf
DIN S/N 46dB	1.13μV / 75Ohms
Frequency response (±3.0dB)	30Hz - 15kHz
S/N (dB)	65dB (MONO)
Selectivity	Over 80dB (±400kHz)
Stereo separation	45dB (1kHz)

AM

Frequency Range (Frequency step)	530kHz - 1700kHz (10kHz)
Usable sensitivity	28dBμ

Video

Color system of external video input	NTSC/PAL
External video input level (Mini jacks)	1 Vp-p / 75 Ohms
External audio max input level (Mini jacks)	2 V / 25 kOhms
Video Input level (RCA jacks)	1 Vp-p / 75 Ohms
Video Output level (RCA jacks)	1 Vp-p / 75 Ohms
Audio Output level (Mini jacks)	0.9 V / 10 kOhms

Audio

Maximum Power Output (Front&Rear)	50Wx4
	Full Bandwidth Power

Digital FM

CS

Frequency Range (Frequency step)	87.9MHz - 107.9MHz (200kHz)
Frequency Response (± 3.0 dB)	20Hz - 20kHz
S/N	80dB (STEREO)

Digital AM

Frequency Range (Frequency step)	530kHz - 1700kHz (10kHz)
Frequency Response (± 3.0 dB)	40Hz - 15kHz
S/N	80dB (STEREO)

FM

Frequency Range (Frequency step)	87.9MHz - 107.9MHz (200kHz)
Usable sensitivity	9.3dBf
S/N30dB	0.8 μ V/75 Ω
Quieting sensitivity	10.2dBf
DIN S/N 46dB	1.13 μ V / 75Ohms
Frequency response (± 3.0 dB)	30Hz - 15kHz
S/N (dB)	65dB (MONO)
Selectivity	Over 80dB (± 400 kHz)
Stereo separation	45dB (1kHz)

AM

Frequency Range (Frequency step)	530kHz - 1700kHz (10kHz)
Usable sensitivity	28dB μ

Video

Color system of external video input	NTSC/PAL
External video input level (Mini jacks)	1 Vp-p / 75 Ohms
External audio max input level (Mini jacks)	2 V / 25 kOhms
Video Input level (RCA jacks)	1 Vp-p / 75 Ohms
Video Output level (RCA jacks)	1 Vp-p / 75 Ohms
Audio Output level (Mini jacks)	0.9 V / 10 kOhms

Audio

Maximum Power Output (Front&Rear)	50Wx4
	Full Bandwidth Power

Digital FM

CS

Frequency Range (Frequency step)	87.9MHz - 107.9MHz (200kHz)
Frequency Response (±3.0 dB)	20Hz - 20kHz
S/N	80dB (STEREO)

Digital AM

Frequency Range (Frequency step)	530kHz - 1700kHz (10kHz)
Frequency Response (±3.0 dB)	40Hz - 15kHz
S/N	80dB (STEREO)

FM

Frequency Range (Frequency step)	87.9MHz - 107.9MHz (200kHz)
Usable sensitivity	9.3dBf
S/N30dB	0.8μV/75Ω
Quieting sensitivity	10.2dBf
DIN S/N 46dB	1.13μV / 75Ohms
Frequency response (±3.0dB)	30Hz - 15kHz
S/N (dB)	65dB (MONO)
Selectivity	Over 80dB (±400kHz)
Stereo separation	45dB (1kHz)

AM

Frequency Range (Frequency step)	530kHz - 1700kHz (10kHz)
Usable sensitivity	28dBμ

Video

Color system of external video input	NTSC/PAL
External video input level (Mini jacks)	1 Vp-p / 75 Ohms
External audio max input level (Mini jacks)	2 V / 25 kOhms
Video Input level (RCA jacks)	1 Vp-p / 75 Ohms
Video Output level (RCA jacks)	1 Vp-p / 75 Ohms
Audio Output level (Mini jacks)	0.9 V / 10 kOhms

Audio

Maximum Power Output (Front&Rear)	50Wx4
	Full Bandwidth Power