

FM	Frequency Range (Frequency step)	87.9MHz to 107.9MHz (200kHz)
	Frequency Response ( $\pm 3.0$ dB)	30Hz to 15kHz
	S/N	68dB(MONO)
	Stereo Separation	40dB(1kHz)
Digital FM	Frequency Range (Frequency step)	87.9MHz to 107.9MHz (200kHz)
	Frequency Response ( $\pm 3.0$ dB)	20Hz to 20kHz
	S/N	75dB(STEREO)
AM	Frequency Range (Frequency step)	530kHz to 1700kHz (10kHz)
	Usable Sensitivity S/N:20dB	29dB $\mu$ (28.2 $\mu$ V)
Digital AM	Frequency Range (Frequency step)	530kHz to 1700kHz (10kHz)
	Frequency Response ( $\pm 3.0$ dB)	40Hz to 15kHz
	S/N	70dB(STEREO)
USB I/F	USB	USB 1.1 / 2.0 Full speed
	File System	FAT12 / 16 / 32
	Maximum Supply current	DC5V(DC logo) 1.5A
	Frequency Response	20Hz to 20kHz( $\pm 1$ dB)
	S/N Ratio (dB)	99dB(1kHz)
	Dynamic Range	93dB
	Channel Separation	91dB
	MP3 Decode	Compliant with MPEG-1/2 Audio Layer-3
	(4 $\Omega$ , 1kHz, 10%THD以下)	Compliant with Windows Media Audio

FM	Frequency Range (Frequency step)	87.9MHz to 107.9MHz (200kHz)
	Frequency Response (±3.0dB)	30Hz to 15kHz
	S/N	68dB(MONO)
	Stereo Separation	40dB(1kHz)
Digital FM	Frequency Range (Frequency step)	87.9MHz to 107.9MHz (200kHz)
	Frequency Response (±3.0dB)	20Hz to 20kHz
	S/N	75dB(STEREO)
AM	Frequency Range (Frequency step)	530kHz to 1700kHz (10kHz)
	Usable Sensitivity S/N:20dB	29dBμ (28.2μV)
Digital AM	Frequency Range (Frequency step)	530kHz to 1700kHz (10kHz)
	Frequency Response (±3.0dB)	40Hz to 15kHz
	S/N	70dB(STEREO)
USB I/F	USB	USB 1.1 / 2.0 Full speed
	File System	FAT12 / 16 / 32
	Maximum Supply current	DC5V(DC logo) 1.5A
	Frequency Response	20Hz to 20kHz(±1dB)
	S/N Ratio (dB)	99dB(1kHz)
	Dynamic Range	93dB
	Channel Separation	91dB
	MP3 Decode	Compliant with MPEG-1/2 Audio Layer-3
	(4Ω, 1kHz, 10%THD以下)	Compliant with Windows Media Audio

FM	Frequency Range (Frequency step)	87.9MHz to 107.9MHz (200kHz)
	Frequency Response ( $\pm 3.0$ dB)	30Hz to 15kHz
	S/N	68dB(MONO)
	Stereo Separation	40dB(1kHz)
Digital FM	Frequency Range (Frequency step)	87.9MHz to 107.9MHz (200kHz)
	Frequency Response ( $\pm 3.0$ dB)	20Hz to 20kHz
	S/N	75dB(STEREO)
AM	Frequency Range (Frequency step)	530kHz to 1700kHz (10kHz)
	Usable Sensitivity S/N:20dB	29dB $\mu$ (28.2 $\mu$ V)
Digital AM	Frequency Range (Frequency step)	530kHz to 1700kHz (10kHz)
	Frequency Response ( $\pm 3.0$ dB)	40Hz to 15kHz
	S/N	70dB(STEREO)
USB I/F	USB	USB 1.1 / 2.0 Full speed
	File System	FAT12 / 16 / 32
	Maximum Supply current	DC5V(DC logo) 1.5A
	Frequency Response	20Hz to 20kHz( $\pm 1$ dB)
	S/N Ratio (dB)	99dB(1kHz)
	Dynamic Range	93dB
	Channel Separation	91dB
	MP3 Decode	Compliant with MPEG-1/2 Audio Layer-3
	(4 $\Omega$ , 1kHz, 10%THD以下)	Compliant with Windows Media Audio

FM	Frequency Range (Frequency step)	87.9MHz to 107.9MHz (200kHz)
	Frequency Response ( $\pm 3.0$ dB)	30Hz to 15kHz
	S/N	68dB(MONO)
	Stereo Separation	40dB(1kHz)
Digital FM	Frequency Range (Frequency step)	87.9MHz to 107.9MHz (200kHz)
	Frequency Response ( $\pm 3.0$ dB)	20Hz to 20kHz
	S/N	75dB(STEREO)
AM	Frequency Range (Frequency step)	530kHz to 1700kHz (10kHz)
	Usable Sensitivity S/N:20dB	29dB $\mu$ (28.2 $\mu$ V)
Digital AM	Frequency Range (Frequency step)	530kHz to 1700kHz (10kHz)
	Frequency Response ( $\pm 3.0$ dB)	40Hz to 15kHz
	S/N	70dB(STEREO)
USB I/F	USB	USB 1.1 / 2.0 Full speed
	File System	FAT12 / 16 / 32
	Maximum Supply current	DC5V(DC logo) 1.5A
	Frequency Response	20Hz to 20kHz( $\pm 1$ dB)
	S/N Ratio (dB)	99dB(1kHz)
	Dynamic Range	93dB
	Channel Separation	91dB
	MP3 Decode	Compliant with MPEG-1/2 Audio Layer-3
	(4 $\Omega$ , 1kHz, 10%THD以下)	Compliant with Windows Media Audio

FM	Frequency Range (Frequency step)	87.9MHz to 107.9MHz (200kHz)
	Frequency Response ( $\pm 3.0$ dB)	30Hz to 15kHz
	S/N	68dB(MONO)
	Stereo Separation	40dB(1kHz)
Digital FM	Frequency Range (Frequency step)	87.9MHz to 107.9MHz (200kHz)
	Frequency Response ( $\pm 3.0$ dB)	20Hz to 20kHz
	S/N	75dB(STEREO)
AM	Frequency Range (Frequency step)	530kHz to 1700kHz (10kHz)
	Usable Sensitivity S/N:20dB	29dB $\mu$ (28.2 $\mu$ V)
Digital AM	Frequency Range (Frequency step)	530kHz to 1700kHz (10kHz)
	Frequency Response ( $\pm 3.0$ dB)	40Hz to 15kHz
	S/N	70dB(STEREO)
USB I/F	USB	USB 1.1 / 2.0 Full speed
	File System	FAT12 / 16 / 32
	Maximum Supply current	DC5V(DC logo) 1.5A
	Frequency Response	20Hz to 20kHz( $\pm 1$ dB)
	S/N Ratio (dB)	99dB(1kHz)
	Dynamic Range	93dB
	Channel Separation	91dB
	MP3 Decode	Compliant with MPEG-1/2 Audio Layer-3
	(4 $\Omega$ , 1kHz, 10%THD以下)	Compliant with Windows Media Audio

FM	Frequency Range (Frequency step)	87.9MHz to 107.9MHz (200kHz)
	Frequency Response ( $\pm 3.0$ dB)	30Hz to 15kHz
	S/N	68dB(MONO)
	Stereo Separation	40dB(1kHz)
Digital FM	Frequency Range (Frequency step)	87.9MHz to 107.9MHz (200kHz)
	Frequency Response ( $\pm 3.0$ dB)	20Hz to 20kHz
	S/N	75dB(STEREO)
AM	Frequency Range (Frequency step)	530kHz to 1700kHz (10kHz)
	Usable Sensitivity S/N:20dB	29dB $\mu$ (28.2 $\mu$ V)
Digital AM	Frequency Range (Frequency step)	530kHz to 1700kHz (10kHz)
	Frequency Response ( $\pm 3.0$ dB)	40Hz to 15kHz
	S/N	70dB(STEREO)
USB I/F	USB	USB 1.1 / 2.0 Full speed
	File System	FAT12 / 16 / 32
	Maximum Supply current	DC5V(DC logo) 1.5A
	Frequency Response	20Hz to 20kHz( $\pm 1$ dB)
	S/N Ratio (dB)	99dB(1kHz)
	Dynamic Range	93dB
	Channel Separation	91dB
	MP3 Decode	Compliant with MPEG-1/2 Audio Layer-3
	(4 $\Omega$ , 1kHz, 10%THD以下)	Compliant with Windows Media Audio

FM	Frequency Range (Frequency step)	87.9MHz to 107.9MHz (200kHz)
	Frequency Response ( $\pm 3.0$ dB)	30Hz to 15kHz
	S/N	68dB(MONO)
	Stereo Separation	40dB(1kHz)
Digital FM	Frequency Range (Frequency step)	87.9MHz to 107.9MHz (200kHz)
	Frequency Response ( $\pm 3.0$ dB)	20Hz to 20kHz
	S/N	75dB(STEREO)
AM	Frequency Range (Frequency step)	530kHz to 1700kHz (10kHz)
	Usable Sensitivity S/N:20dB	29dB $\mu$ (28.2 $\mu$ V)
Digital AM	Frequency Range (Frequency step)	530kHz to 1700kHz (10kHz)
	Frequency Response ( $\pm 3.0$ dB)	40Hz to 15kHz
	S/N	70dB(STEREO)
USB I/F	USB	USB 1.1 / 2.0 Full speed
	File System	FAT12 / 16 / 32
	Maximum Supply current	DC5V(DC logo) 1.5A
	Frequency Response	20Hz to 20kHz( $\pm 1$ dB)
	S/N Ratio (dB)	99dB(1kHz)
	Dynamic Range	93dB
	Channel Separation	91dB
	MP3 Decode	Compliant with MPEG-1/2 Audio Layer-3
	(4 $\Omega$ , 1kHz, 10%THD以下)	Compliant with Windows Media Audio