

ELECTRICAL	Impedance( $\Omega$ )	4 $\Omega$	
	Peak Input Power (W)	360W	
	RMS Input Power (W) CTA standards	81W	
	Sensitivity (dB at 1m) CTA standards	88dB	
	Frequency Response(Hz) CTA standards	58-24000Hz	
Woofer	Diaphragm / Color	PP Cone	Dark Gray
	Size	145x204mm	6x8 inch
	Surround	Rubber	
	Basket	Steel	
	Magnet	Ferrite	$\phi$ 80x12
Tweeter	Diaphragm / Color	Balanced Dome	Matte Black
	Size	30mm	1-3/16 inch
	Magnet	Neodymium	
Dimension	Width (w_Gr)	-	-
	Width (w/o_Gr)	203.7 mm	8 in.
	Height (w_Gr)	-	-
	Height (w/o_Gr)	145 mm	5-11/16 in.
	Top Height	8 mm	5/16 in.
	Cutout Diameter	129.8 x 187.8 mm	5-1/8 x 7-3/8 in.
	Mounting Depth	60 mm	2-3/8 in.
Weight	with Grille (pc.)	-	-
	without Grille (pc.)	829g	1.8 lb
	Weight of Woofer Magnet	230 g	8.1 oz

ELECTRICAL	Impedance( $\Omega$ )	4 $\Omega$	
	Peak Input Power (W)	360W	
	RMS Input Power (W) CTA standards	81W	
	Sensitivity (dB at 1m) CTA standards	88dB	
	Frequency Response(Hz) CTA standards	58-24000Hz	
Woofer	Diaphragm / Color	PP Cone	Dark Gray
	Size	145x204mm	6x8 inch
	Surround	Rubber	
	Basket	Steel	
	Magnet	Ferrite	$\phi$ 80x12
Tweeter	Diaphragm / Color	Balanced Dome	Matte Black
	Size	30mm	1-3/16 inch
	Magnet	Neodymium	
Dimension	Width (w_Gr)	-	-
	Width (w/o_Gr)	203.7 mm	8 in.
	Height (w_Gr)	-	-
	Height (w/o_Gr)	145 mm	5-11/16 in.
	Top Height	8 mm	5/16 in.
	Cutout Diameter	129.8 x 187.8 mm	5-1/8 x 7-3/8 in.
	Mounting Depth	60 mm	2-3/8 in.
Weight	with Grille (pc.)	-	-
	without Grille (pc.)	829g	1.8 lb
	Weight of Woofer Magnet	230 g	8.1 oz

ELECTRICAL	Impedance( $\Omega$ )	4 $\Omega$	
	Peak Input Power (W)	360W	
	RMS Input Power (W) CTA standards	81W	
	Sensitivity (dB at 1m) CTA standards	88dB	
	Frequency Response(Hz) CTA standards	58-24000Hz	
Woofer	Diaphragm / Color	PP Cone	Dark Gray
	Size	145x204mm	6x8 inch
	Surround	Rubber	
	Basket	Steel	
	Magnet	Ferrite	$\phi$ 80x12
Tweeter	Diaphragm / Color	Balanced Dome	Matte Black
	Size	30mm	1-3/16 inch
	Magnet	Neodymium	
Dimension	Width (w_Gr)	-	-
	Width (w/o_Gr)	203.7 mm	8 in.
	Height (w_Gr)	-	-
	Height (w/o_Gr)	145 mm	5-11/16 in.
	Top Height	8 mm	5/16 in.
	Cutout Diameter	129.8 x 187.8 mm	5-1/8 x 7-3/8 in.
	Mounting Depth	60 mm	2-3/8 in.
Weight	with Grille (pc.)	-	-
	without Grille (pc.)	829g	1.8 lb
	Weight of Woofer Magnet	230 g	8.1 oz

ELECTRICAL	Impedance( $\Omega$ )	4 $\Omega$	
	Peak Input Power (W)	360W	
	RMS Input Power (W) CTA standards	81W	
	Sensitivity (dB at 1m) CTA standards	88dB	
	Frequency Response(Hz) CTA standards	58-24000Hz	
Woofer	Diaphragm / Color	PP Cone	Dark Gray
	Size	145x204mm	6x8 inch
	Surround	Rubber	
	Basket	Steel	
	Magnet	Ferrite	$\phi$ 80x12
Tweeter	Diaphragm / Color	Balanced Dome	Matte Black
	Size	30mm	1-3/16 inch
	Magnet	Neodymium	
Dimension	Width (w_Gr)	-	-
	Width (w/o_Gr)	203.7 mm	8 in.
	Height (w_Gr)	-	-
	Height (w/o_Gr)	145 mm	5-11/16 in.
	Top Height	8 mm	5/16 in.
	Cutout Diameter	129.8 x 187.8 mm	5-1/8 x 7-3/8 in.
	Mounting Depth	60 mm	2-3/8 in.
Weight	with Grille (pc.)	-	-
	without Grille (pc.)	829g	1.8 lb
	Weight of Woofer Magnet	230 g	8.1 oz

ELECTRICAL	Impedance( $\Omega$ )	4 $\Omega$	
	Peak Input Power (W)	360W	
	RMS Input Power (W) CTA standards	81W	
	Sensitivity (dB at 1m) CTA standards	88dB	
	Frequency Response(Hz) CTA standards	58-24000Hz	
Woofer	Diaphragm / Color	PP Cone	Dark Gray
	Size	145x204mm	6x8 inch
	Surround	Rubber	
	Basket	Steel	
	Magnet	Ferrite	$\phi$ 80x12
Tweeter	Diaphragm / Color	Balanced Dome	Matte Black
	Size	30mm	1-3/16 inch
	Magnet	Neodymium	
Dimension	Width (w_Gr)	-	-
	Width (w/o_Gr)	203.7 mm	8 in.
	Height (w_Gr)	-	-
	Height (w/o_Gr)	145 mm	5-11/16 in.
	Top Height	8 mm	5/16 in.
	Cutout Diameter	129.8 x 187.8 mm	5-1/8 x 7-3/8 in.
	Mounting Depth	60 mm	2-3/8 in.
Weight	with Grille (pc.)	-	-
	without Grille (pc.)	829g	1.8 lb
	Weight of Woofer Magnet	230 g	8.1 oz

ELECTRICAL	Impedance( $\Omega$ )	4 $\Omega$	
	Peak Input Power (W)	360W	
	RMS Input Power (W) CTA standards	81W	
	Sensitivity (dB at 1m) CTA standards	88dB	
	Frequency Response(Hz) CTA standards	58-24000Hz	
Woofer	Diaphragm / Color	PP Cone	Dark Gray
	Size	145x204mm	6x8 inch
	Surround	Rubber	
	Basket	Steel	
	Magnet	Ferrite	$\phi$ 80x12
Tweeter	Diaphragm / Color	Balanced Dome	Matte Black
	Size	30mm	1-3/16 inch
	Magnet	Neodymium	
Dimension	Width (w_Gr)	-	-
	Width (w/o_Gr)	203.7 mm	8 in.
	Height (w_Gr)	-	-
	Height (w/o_Gr)	145 mm	5-11/16 in.
	Top Height	8 mm	5/16 in.
	Cutout Diameter	129.8 x 187.8 mm	5-1/8 x 7-3/8 in.
	Mounting Depth	60 mm	2-3/8 in.
Weight	with Grille (pc.)	-	-
	without Grille (pc.)	829g	1.8 lb
	Weight of Woofer Magnet	230 g	8.1 oz