

ILVE PRO

Product Specifications

Ranges & Cooktops

48" Dual Fuel Range

	Specifications		
	Model Number UPW120FDMP		
General Features	Size	48"	
	Туре	Dual Fuel	
	Digital Clock and Timer	Yes	
	Electronic Ignition	Yes	
	Wok Ring & Simmer Plate	Yes	
eat	Control Knobs	Stainless Steel	
al E		Stainless Steel	
ner	Colors	Matte Graphite	
Ge	Full Size Storage Drawer	YES	
	Liquid Propane (LP)	Conversion Available	
		120/208-240 Volt	
	Power Requirements	60Hz. 40 Amp	
	Burners	7	
les	Dual Triple Ring Burner (1)	15,500 BTU	
Cook Top Features	Triple Ring Burner (1)	15,500 BTU	
Fe	Big Burner (3)	10,500 BTU	
, g	Small Burner (1)	7,000 BTU	
본	Griddle	10,500 BTU	
Š	Flame Failure Safety Device	Yes	
	Cast Iron Grates	Continuous	
	Continuous Clean Panels	Optional	
	Multi Function	8 Functions	
es	Oven Capacity (Cu Ft.)	3.55	
Main Oven Features	Convection Bake	Yes	
ea	Convection Broil	Yes	
l le	Grill-Baking or Broiler	Yes	
ð	Power Rating	3,700 Watts	
ä	Oven Temperature Range	75° - 525°	
Σ	Preheat Indicator Lamp	Yes	
	Racks	2	
	Rotisserie	Yes	
	Continuous Clean Panels	Optional	
	Multi Function	4 Functions	
res	Oven Capacity (Cu Ft.)	1.44	
-eatures	Convection Oven	No	
_	Grill-Baking or Broiler	Yes	
Second Oven	Power Rating	1,850 Watts	
Ó	Oven Temperature Range	200° - 525°	
ouc	Preheat Indicator Lamp	Yes	
Sec	Racks	1	
	Rotisserie	Yes	
	Proofing Mode	No	
	Width (in)	47 1/4"	
ns	Height (in) w/o Backguard	35 ¾" – 37"	
sio	Height (in) of Backguard	2 3/8"	
Dimensions	Depth (in)	23 %"	
Din	Depth (in) with Backguard	25 ½ "	
	Weight (lbs.)	400	



Made in Italy



<u>UPW120FDMPI</u> Stainless Steel

<u>UPW120FDMPM</u> Matte Graphite

Optional Accessories

- Rolling Glide Racks (2)
- 30" Tall Stainless Steel Backsplash
- Enameled Cast Iron Burner Skirts
- Continuous Clean Panels
- Replacement Grates for Center Burner

Cooktop Options

- BBQ Grill
- Fry Top Cover
- Chopping Board
- Steam Basins
- Bain Marie SS Basin
- Cast Iron Steak Pan



36" Dual Fuel Range



Made in Italy

	Specifications		
	Model Number	UPW90FDMP	
	Size	36"	
	Туре	Dual Fuel	
	Digital Clock and Timer	Yes	
es	Electronic Ignition	Yes	
ţ	Control Knobs	Stainless Steel	
Fea	Oven Handle & Upper Handrail	Stainless Steel	
General Features	Colors	Stainless Steel or Matte Graphite	
Ğ	Full Size Storage Drawer	YES	
	Liquid Propane (LP)	Conversion Available	
	Power Requirements	120/208-240 Volt 60Hz. 30 Amp	
S	Burners	5	
Cook Top Features	Dual Triple Ring Burners (1)	15,500 BTU	
eat	Big Burner (2)	10,500 BTU	
l do	Small Burner (1)	7,000 BTU	
ΓŞ	Griddle	10,500 BTU	
00	Flame Failure Safety Device	Yes	
	Cast Iron Grates	Continuous	
	Continuous Clean Panels	Optional	
	Multi Function	8 Function	
.es	Oven Capacity (Cu Ft.)	3.55	
fur	Convection Bake	Yes	
Main Oven Features	Convection Broil	Yes	
,en	Grill-Baking or Broiler	Yes	
ó	Power Rating	3,700 Watts	
lain	Oven Temperature Range	75° - 525°	
≥	Preheat Indicator Lamp	Yes	
	Racks	2	
	Rotisserie	Yes	
	Width (in)	35 ⁷ / ₁₆ "	
suc	Height (in) w/o Backguard	35 ¾-37"	
ısic	Height (in) of Backguard	2 3/8"	
Dimensions	Depth (in)	23 5%"	
	Depth (in) with Backguard	25 ½"	
	Weight (lbs.)	250	



Cooktop Options

- BBQ Grill
- Fry Top Cover
- Chopping Board
- Steam Basins
- Bain Marie SS Basin
- Cast Iron Steak Pan

Optional Accessories

- Rolling Glide Racks (2)
- 30" Tall Stainless Steel Backsplash

Matte Graphite

- Enameled Cast Iron Burner Skirts
- Continuous Clean Panels
- Replacement Grates for Center Burner



40" Dual Fuel Double Oven Range

	Specifications		
	Model Number	UPDW100 (6)	
tures	Size	40"	
	Туре	Dual Fuel	
	Digital Clock and Timer	Yes	
	Electronic Ignition	Yes	
	Control Knobs	Stainless Steel	
Fea	Oven Handles & Upper Handrail		
General Features	Colors	Stainless Steel Matte Graphite	
	Full Size Storage Drawer	YES	
	Liquid Propane (LP)	Conversion Available	
	Power Requirements	120/208-240 Volt 60Hz. 40 Amp	
	Burners	5-6*	
es	Dual Triple Ring Burner (1)	15,500 BTU	
tur	Triple Ring Burner (1)	15,500 BTU	
Cook Top Features	Big Burner (2-3)	10,500 BTU*	
do	Small Burner (1)	7,000 BTU	
¥	Griddle	10,500 BTU Optional*	
Ö	Flame Failure Safety Device	Yes	
	Cast Iron Grates	Continuous	
	Continuous Clean Panels	Optional	
	Multi Function	8 Function	
	Oven Capacity (Cu Ft.)	2.44	
Main Oven Features	Convection Bake	Yes	
atr	Convection Broil	Yes	
Fe .	Grill-Baking or Broiler	Yes	
ver	Power Rating	3,700 Watts	
0 u	Oven Temperature Range	75° - 525°	
Mai	Preheat Indicator Lamp	Yes	
	Racks	2	
	Proofing Mode	Yes	
	Rotisserie	No	
	Continuous Clean Panels	Optional	
Se	Multi Function	4 Function	
Features	Oven Capacity (Cu Ft.)	1.54	
ea.	Convection Oven	No	
	Grill-Baking or Broiler	Yes	
Second Oven	Power Rating	1,850 Watts	
pu	Oven Temperature Range	200° - 500°	
oco	Preheat Indicator Lamp	Yes	
Ň	Racks	1	
	Rotisserie	Yes	
Su	Width (in)	39 ¾	
	Height (in) w/o Backguard	35 ¾" [–] 37"	
Dimensions	Height (in) of Backguard	2 3/8"	
mer	Depth (in)	23 %"	
Din	Depth (in) with Backguard	25 ½"	
	Weight (lbs.)	325	



Made in Italy

Griddle Top



6 Burners



Matte Graphite

* Based on Cooktop Configuration

Cooktop Options

- Cast Iron Steak Pan
- Fry Top Cover (FDMP Model)
- · Chopping Board
- Steam Basin (FDMP Model)
- Bain Marie -SS Basin (FDMP Model)

Optional Accessories

- Rolling Glide Racks (2)
- 30" Tall Stainless Steel Backsplash
- Enameled Cast Iron Burner Skirts
- Continuous Clean Panels
- Replacement Grates for Optional Center Burner

UPDW1006DMPI Stainless Steel

UPDW1006DMPM Matte Graphite



36" Dual Fuel Double Oven Range

	Specifications		
	Model Number	UPDW90FDMP	
	Size	36"	
	Туре	Dual Fuel	
General Features	Digital Clock and Timer	Yes	
	Electronic Ignition	Yes	
	Control Knobs	Stainless Steel	
Fea	Oven Handle & Upper Handrail	Stainless Steel	
<u> </u>	Calara	Stainless Steel	
ine	Colors	Matte Graphite	
Ğ	Full Size Storage Drawer	YES	
	Liquid Propane (LP)	Conversion Available	
	Power Requirements	120/208-240 Volt	
	rower Requirements	60Hz. 30 Amp	
S.	Burners	5	
ture	Dual Triple Ring Burner (1)	15,500 BTU	
-ea	Big Burner (2)	10,500 BTU	
l dc	Small Burner (1)	7,000 BTU	
Cook Top Features	Griddle	10,500 BTU	
8	Flame Failure Safety Device	Yes	
	Cast Iron Grates	Continuous	
	Continuous Clean Panels	Optional	
	Multi Function	8 Function	
res	Oven Capacity (Cu Ft.)	2.44	
Main Oven Features	Convection Bake	Yes	
<u>ā</u>	Convection Broil	Yes	
ven	Grill-Baking or Broiler	Yes	
Ó	Power Rating	3,700 Watts	
Aair	Oven Temperature Range	75° - 525°	
	Preheat Indicator Lamp	Yes	
	Racks	2	
	Rotisserie	No	
	Continuous Clean Panels	Optional	
res	Multi Function	4 Function	
atu	Oven Capacity (Cu Ft.)	1.44	
Second Oven Features	Convection Oven	No	
ven	Grill-Baking or Broiler	Yes	
Ó	Power Rating	1,850 Watts	
ouc	Oven Temperature Range	200° - 500°	
Sec	Preheat Indicator Lamp	Yes	
0,	Racks Rotisserie	1 Vos	
	Width (in)	Yes 35 ^{7/} 16"	
S	Height (in) w/o Backguard	35 ³ / ₄ " - 37"	
ion		2 3/8"	
susi	Height (in) of Backguard		
Dimensions	Depth (in)	23 5/8"	
D	Depth (in) with Backguard	25 ½"	
	Weight (lbs.)	270	



Made in Italy



UPDW90FDMPI Stainless Steel

UPDW90FDMPM Matte Graphite



- BBQ Grill
- Fry Top Cover
- Chopping Board
- Steam Basins
- Bain Marie SS Basin
- Cast Iron Steak Pan

Optional Accessories

- Rolling Glide Racks (2)
- 30" Tall Stainless Steel Backsplash
- Enameled Cast Iron Burner Skirts
- Continuous Clean Panels
- Replacement Grates for Griddle




Range Hoods & Back Splash

Width (Inches)	UAM Series Range Hoods	Power Consumption	Back Splash w/ Ladle Brkt
29 %"	UAM-76	750W	AM4(H)-76
35 ¼"	UAM-90	750W	AM4(H)-90
39 ¾"	UAM-100	750W	AM4(H)-100
47 %"	UAM-120	790W	AM4(H)-120
59 ½"	UAM-150	790W	AM4(H)-150

All Back Splashes are 26" or 30" (H) in Height.







Extension for UAM Series Pro Hood Stainless Steel & Colors A-0172008

TECHNICAL CHARACTERISTICS

- Wall-mounted range hood
- 4 speeds control (42-46-52-66 dB)
- · Available in exhaust or filter version
- Anti-grease filter in anodised aluminum
- 2 infrared spotlights, I75W each, for wall-mounted warmer
- · Adjustable and delayed self-switching off
- · Halogen spotlight with adjustable light intensity
- · Warning light for filter maintenance
- Optional A/092/23 warming shelf grid (pictured above) for AM series backsplash
- 600 CFM 510 Pa: 120 V 60 Hz.



Made in Italy



Model#	Backsplash with Ladle Bracket Shipping Weight
AM4-76	60 lbs plus 40 for pallet
AM4-90	68 lbs plus 40 for pallet
AM4-100	80 lbs plus 40 for pallet
AM4-120	90 lbs plus 40 for pallet
AM4-150	100 lbs plus 40 for pallet

8 Colors Available





Burgundy



Midnight

Blue



Matte

Graphite

Stainless Steel

Antique

White

1/2"

31

Emerald

Green

True White

Gloss Black

Optional Accessories



Stainless Steel Backsplash

Warming Shelf for Backsplash



Basins for Steam Cooking Composed of 2 Containers with 2 lids. Steam Cooking is a healthy, ideal method for meat, fish, rice or vegetables



Chopping Board Solid 15/16" thickness. Seats into griddle/fry-top plate



Wrap Around Toe Kick 3 Stainless Steel Panels Majestic ONLY



Cover for Fry-Top Grilling Steam remains inside the cover making foods more tender



Gas Barbecue Grill Use on Griddle/Fry-Top models only Gas BBQ grill is interchangeable with Griddle/Fry-Top plate when grilling.



Stainless Steel Basins with Lids for heating food in Bain-Marie. Used with griddle-fry-top only, this is composed of 3 baskets and covers and 1 container.



Cast Iron Steak Pans Ribbed Large Flat Large Ribbed Small Flat Small