QUICK REFERENCE GUIDE > OR30SCI6X1 Date: 17.12.2019 > 1

# Induction Range, 30", 4 Zones, Self-cleaning

Series 9 | Classic

Black



Blending heritage styling and contemporary performance, including convection oven and an instant-response induction cooktop.

- Four induction cooking zones with immediate heat response and precise control
- Convection oven with 3.5 cu ft total capacity and nine oven functions including Roast and Aero™Pastry
- Self-cleaning function breaks down food residue for an easy clean
- Non-tip full-extension shelves for safe removal of hot dishes

## **DIMENSIONS**

Height	35 <sup>3</sup> / <sub>4</sub> - 37 <sup>5</sup> / <sub>8</sub>
Width	29 <sup>7</sup> / <sub>8</sub> ′
Depth	25 <sup>1</sup> / <sub>4</sub> '

#### **FEATURES & BENEFITS**

# **Outstanding Performance**

Discover the flexibility to get creative in the kitchen with nine oven functions including Bake, Roast, and  $Aero^{TM}$  Pastry with Pizza Bake.

# **SPECIFICATIONS**

#### Accessories

2-pc grill system (Broil pan and	d •
Broil pan	•
Full Extension Telescopic	2 sets (part 578776)
Hob rear trim (optional)	3" (part 81656)
Kick strip, stainless steel	Part 81660
Pyrolytic proof shelf runners	•

#### Capacity

Total capacity	3.5cu ft
----------------	----------

## Cleaning

Acid resistant graphite enamel	•
Drop down broil element	

Drop down grill element	•
Flat easy clean glass surface	•
Pyrolytic proof shelf runners	•
Pyrolytic self-clean	•
Removable oven door	•
Removable shelf runners	•

#### Controls

Audio feedback
Automatic cooking/minute
Automatic pre-set
Celsius/Fahrenheit
Electronic clock
High resolution display
Interior light
Laser etched graphics
Sabbath mode
Toughened fused glass
Turned stainless steel clock
Turned stainless steel clock dial
Turned stainless steel dials with
Wifi connectivity

#### Oven features

Electronic oven control	
Full extension telescopic	2 sets (part 578776
Electronic oven control	
Concealed element	
Combined Warming/Storage	
Automatic rapid pre-heat	

QUICK REFERENCE GUIDE > OR30SCI6X1 Date: 17.12.2019 > 2

25 1/4 "	Installation cutout dimensions	•	Pyrolytic proof shelf runners
30 "	Installation cutout dimensions	•	Pyrolytic self-clean
29 <sup>7</sup> / <sub>8</sub> "	Width	•	Self cleaning
		•	Soft open/close door
	Rangetop features	•	True Convection
•	Auto heat reduce		
2 settings	Gentle heat		Oven functions
9	Heat settings	•	Aero™ Bake
•	Induction cooking technology	•	Aero™ Pastry with Pizza mode
up to 3000W	PowerBoost all zones	•	Maxi Broil
		9	Number of functions
	Rangetop Performance	•	Pyrolytic self-clean
1850/3000W	Left front zone rating	•	Rapid proof
1850/3000W	Left rear zone rating	•	Roast
•	PowerBoost	•	Self-clean
up to 3000W	PowerBoost all zones		
1400/2200W	Right front zone rating		Oven performance
2300/3700W	Right rear zone rating	4050W	Broil
		220W	Combined warming/Storage
	Safety	Triple glazed	CoolTouch door
•	Advanced cooling system	220W	Warming drawer power
•	Anti-tilt bracket		
•	Balanced oven door		Power requirements
•	Catalytic venting system	50A	Amperage
•	Child lock	60Hz	Supply frequency
•	CoolTouch door	120 - 240V	Supply voltage
•	Full extension telescopic		
•	Non-tip shelves		Product dimensions
•	Pan detection system	25 <sup>1</sup> / <sub>4</sub> "	Depth
	Safety time out	35 <sup>3</sup> / <sub>4</sub> - 37 <sup>5</sup> / <sub>8</sub> "	Height

Spill containment	1/8 gallon
Spillage auto off	•
Surface hot indicators	•
Warranty	
Parts and labor	2 years
SKU	81961

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. ® Fisher & Paykel Appliances Ltd 2019.

QUICK REFERENCE GUIDE > OR30SCI6X1

