


SIMU536B



Product Family	Hob
Built-in type	Ultra-low profile
Dimensions	36"
Power supply	Electric
Type	Induction
EAN code	8017709207281



Aesthetics



Aesthetic	Universale
Colour	Black
Finishing	Glass
Material	Glass
Glass type	Ceramic
Glass edge	Angled edge
Type of control setting	Digi Touch
Slider	Yes
Control knob position	Front
Serigraphy colour	Grey

Programs / Functions



Total no. of cook zones	5
No. of induction cook zones	5
No. of cooking zones with booster	5
No. of Flexible zones	2
Main on/off switch	Yes
Power levels	9

Options



Flexible Zone Type	Bridge	End of cooking alarm	Yes
Simmering Function	Yes	Residual time indicator	Yes
Melting/Low temperature cooking function	Yes	Control Lock / Child Safety	Yes
End cooking timer	5	Bridge option	Yes
Pause option	Yes	Rapid level selection	Yes

Technical Features



Front-left - Induction - Single - 1.85 kW - Booster 2.50 kW - Ø 18.0 cm

Rear-left - Induction - Single - 1.85 kW - Booster 2.50 kW - Ø 18.0 cm

Central - Induction - Single - 2.80 kW - Booster 5.40 kW - Ø 30.0 cm


Rear-right - Induction - Single - 1.85 kW - Booster 2.50 kW - Ø 18.0 cm

Front-right - Induction - Single - 1.85 kW - Booster 2.50 kW - Ø 18.0 cm

Automatic setting according to pan dimension	Yes	Automatic switch off when overflow	Yes
pan detection	Yes	Residual heat indicator	Yes
Minimum pan diameter indication	Yes	Protection against accidental start up	Yes
Automatic switch off when overheat	Yes		

Electrical Connection

Electrical connection rating (W)	11100 W	Voltage 2 (V)	120/240 V
Current	46 A	Frequency (Hz)	60 Hz
Voltage (V)	120/208 V		



Not included accessories



SCRP

















Non-scratch hob scraper - suitable for induction and ceramic hobs



TPK

Stainless steel grill plate to cook Teppanyaki dishes

Symbols glossary (TT)

 <p>Power booster: option allows the zone to work at full power when very intense cooking is necessary.</p>	 <p>Ultra-low profile: Installation of product with flat edge - height of 1 mm.</p>
 <p>Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.</p>	 <p>The slider control panel allows you to adjust the power simply by passing your finger across the touch device.</p>
 <p>Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.</p>	 <p>Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.</p>
 <p>Melting function, suitable for slowly melting delicate foods such as chocolate or butter.</p>	 <p>Overfill protection: The special overfill protection shuts down the stove in the presence of overflow of liquids.</p>
 <p>All cooking zones can be reduced to the minimum power level, so the hob can be left unattended for a short period without food overcooking or burning. Then just press again this function, the previously set power levels can be reactivated.</p>	 <p>Quick selection, with one touch cooking begins at the highest level, then automatically reduces after time. Ideal for dishes that require quick boiling and then continued cooking without constant control (eg beef broth).</p>
 <p>Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.</p>	 <p>Simmering function: ideal for long-cooking recipes, preventing food from boiling over or sticking to the pan.</p>
 <p>Time elapsed: shows how long the cooking zone has been in use.</p>	 <p>Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.</p>
 <p>TWIN_ZONE_72dpi</p>	 <p>Touch control</p>