


KUC24X

Product family	Hood
Hood Type	Integrated (semi) hood
Design	Canopy pro-style
Extraction	Extraction
Material	Stainless steel
Type of steel	Brushed
EAN code	8017709248000
Hood width	60 "



Aesthetics

Colour	Stainless steel	Serigraphy colour	Black
Finishing	Satin	Logo	Silk screen



Controls

Control setting	Control knobs	Control knobs	Smeg USA
No. of controls	2	Controls colour	Black

Programs / Functions

No. of speeds	4
---------------	---

Technical Features

			
No. of lights	2	No. of filters	2
Light type	Halogen	Anti-grease filters	Aluminium
Light Power	20 W	Vent outlet	150 "
Light color temperature scale (°K)	3000 °K	Minimum distance from GAS hob	750 "
Free outlet maximum capacity	590.5 CFM	Minimum distance from ELECTRIC hob	650 "
Motor power	455 W	Non return valve	Yes

	Extraction rate IEC 61591 [CFM]	Noise level IEC 60704-2-13 [dB(A)]
Speed 1	215	53
Speed 2	322.5	62
Speed 3	454	69
Speed 4	586	75


Electrical Connection

Electrical connection rating
Voltage

495 W
120 V

Frequency (Hz)
Power supply cable length

60 Hz
1000 "



Not included accessories



FLTK-1

Round Charcoal filters (kit 2 pieces)

Symbols glossary (TT)



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.