# MOLF

#### DF36450C/S/P



#### **FEATURES**

Wolf's patented gas dual-stacked, sealed burner design provides precise high-to-low temperature control and a spark ignition system that reignites the burner automatically

Four dual-stacked burners produce up to 20,000 Btu for fast boils and intense sears and 300 Btu for true simmers and worry-free melts

Spend less time cleaning with new dishwasher-safe grates and seamless, black porcelain coated, sealed burner pans

For improved temperature control and safety, the spark ignition system reignites burners automatically

The adjustable 16,000 Btu infrared charbroiler features a high and low setting, aptly handling a range of foods from steaks and burgers to delicate fish fillets and vegetables

Wolf's Dual VertiCross™ convection system provides reliably even heat, reduces hot and cold spots, and enables consistent multi-rack cooking

Ten cooking modes, including Bake, Broil, Convection, Convection Roast, Dehydrate, Gourmet, Proof, Roast, Stone, and Warm, were developed by Wolf chefs to maximize the performance of your oven

Gourmet Mode features nearly 50 presets that automatically control the oven to ensure delicious results

The temperature probe alerts you when your dish has reached the desired temperature

The oven offers self-clean, delayed start, timed cook, and Sabbath features

The oven's Wi-Fi enabled feature lets you remotely preheat, select modes, and adjust oven temperature from your mobile device

The full-color touch screen is intuitive and easy to read, discreetly hiding away when not in use

LED backlit control knobs illuminate when in use, indicating which burners are active

Create a cohesive look in your kitchen with the range's stainless steel construction, pro style handles, and choice of iconic red, black, or brushed stainless knobs

#### **ACCESSORIES**

2-Burner Wok Grate

36" Dual Fuel Black Knobs

36" Dual Fuel Stainless Steel Knobs

36" Full-extension ball-bearing oven rack

36" Standard Oven Rack

Bake Stone Kit

Filler Trim

Temperature Probe

30" Black Knobs

30" Red Knobs

30" Stainless Steel Knobs

36" Black Knobs










#### **TOP CONFIGURATION**



### RANGETOP SPECIFICATIONS

- 1 15,000 Btu burner
- 1 18,000 Btu burner
- 1 16,000 Btu charbroiler
- · Stainless-steel charbroiler cover

36" Red Knobs
36" Stainless Steel Knobs
48" and 60" Black Knobs
48" and 60" Red Knobs
48" and 60" Stainless Steel Knobs
2 1/2" Rear Caster Covers
3" Rear Caster Covers
3 1/2" Rear Caster Covers
4" Rear Caster Covers
4 1/2" Rear Caster Covers
3 3/4" (95) Front Leg Covers
3 1/2" Front leg covers
4" Front leg covers
4 1/2" Front leg covers
2 1/2" Stainless Steel Kickplate
3" Stainless Steel Kickplate
3 1/2" Stainless Steel Kickplate
4" Stainless Steel Kickplate
4 1/2" Stainless Steel Kickplate
2 1/2" Stainless Steel Kickplate
3" Stainless Steel Kickplate
3 1/2" Stainless Steel Kickplate
4" Stainless Steel Kickplate
4 1/2" Stainless Steel Kickplate
2 1/2" Stainless Steel Kickplate
3" Stainless Steel Kickplate
3 1/2" Stainless Steel Kickplate
4" Stainless Steel Kickplate
4 1/2" Stainless Steel Kickplate
2 1/2" Stainless Steel Kickplate
3" Stainless Steel Kickplate
3 1/2" Stainless Steel Kickplate
4" Stainless Steel Kickplate
4 1/2" Stainless Steel Kickplate
5" and 10" stainless steel risers, and 20" riser with shelf
5" and 10" stainless steel risers, and 20" riser with shelf
5" and 10" stainless steel risers, and 20" riser with shelf
5" and 10" stainless steel risers, and 20" riser with shelf
5" and 10" stainless steel risers, and 20" riser with shelf
5" and 10" stainless steel risers, and 20" riser with shelf
5" and 10" stainless steel risers, and 20" riser with shelf
5" and 10" stainless steel risers, and 20" riser with shelf
5" and 10" stainless steel risers, and 20" riser with shelf

5" and 10" stainless steel risers, and 20" riser with shelf	
5" and 10" stainless steel risers, and 20" riser with shelf	
5" and 10" stainless steel risers, and 20" riser with shelf	
Signature red, black or stainless steel control knobs	
Rear Caster Covers	
Front Leg Extension Covers	
Stainless Steel Kickplates	
5" and 10" stainless steel risers, and 20" riser with shelf	
Accessories available through an authorized dealer. For local dealer information, visit <a href="mailto:subzero-wolf.com/locator">subzero-wolf.com/locator</a> .	

Specifications are subject to change without notice. This information was generated on December 30, 2020. Verify specifications prior to finalizing your cabinetry/enclosures.




#### PRODUCT SPECIFICATIONS

Model	DF36450C/S/P
Dimensions	35 7/8"W x 36 1/2"H x 29 1/2"D
Oven 1 Interior Dimensions	31 1/4"W x 17 1/2"H x 20"D
Oven 1 Usable Capacity	4.1 cu. ft.
Oven 1 Overall Capacity	6.3 cu. ft.
Door Clearance	19 1/2"
Electrical Supply	240/208 VAC, 60 Hz
Electrical Service	30 amp dedicated circuit
Gas Supply	3/4" ID line
Gas Inlet	1/2" NPT female


# **ELECTRICAL**

# GAS




**NOTE:** Dimensions in parenthesis are in millimeters unless otherwise specified

## **DIMENSIONS**



#### STANDARD INSTALLATION



\*Without ventilation hood, 36" (914) minimum clearance countertop to combustible materials, 44" (1118) for charbroiler.

NOTE: Shaded area above countertop indicates minimum clearance to combustible surfaces, combustible materials cannot be located within this area.

For island installation, 12" (305) minimum clearance back of range to combustible rear wall above countertop.