

# SAMSUNG

## Product Guide

# Bespoke 4-Door Flex™ Refrigerator (29 cu. ft.) in Customizable Panel

**RF29A9675**


Red text is new information for 2022

Available in:

Bespoke 4-Door Flex™ Refrigerator (29 cu. ft.) in Customizable Door Panel Colors

Bespoke 4-Door Flex™ Refrigerator (29 cu. ft.) in Matte Black Steel - All Panels

Bespoke 4-Door Flex™ Refrigerator (29 cu. ft.) in White Glass - All Panels



# Table of Contents

## Product Overview

Product Overview	4
Carousel Image Order	5

## Product Messaging

Features and Benefits	9
Guarantee	12
Lifestyle Images	14

## Product Specs

Review Mapping and Related Product	16
Spec Sheet	17
Will It Fit Guide	18
Energy Guide and User Manual	19
Bespoke Panel Installation Guide	20
Warranty	21

<b>Feature Icons</b>	<b>23</b>
----------------------	-----------

# Product Overview

---

**RF29A9675 – Bespoke 4-Door Flex™ Refrigerator  
(29 cu. ft.) in Customizable Panel**

# Product Overview

## Product Title

Bespoke 4-Door Flex™ Refrigerator (29 cu. ft.) in Customizable Panel

## Product Description

Extra-large capacity 4-Door Flex™ Refrigerator with customizable and changeable door panels available in a variety of colors and finishes. A revolution in convenience and design, the concealed Beverage Center™ features both a water dispenser and AutoFill Water Pitcher. Plus a Dual Ice Maker with cubed ice and Ice Bites™.

## Available Colors



**Bespoke 4-Door Flex™  
Refrigerator (29 cu. ft.)  
in Customizable  
Door Panel Colors**

RF29A9675AP



**Bespoke 4-Door Flex™  
Refrigerator (29 cu. ft.)  
in Matte Black Steel –  
All Panels**

RF29A9675MT



**Bespoke 4-Door Flex™  
Refrigerator (29 cu. ft.)  
in White Glass – All Panels**

RF29A967512



# RF29A9675MT Carousel Image Order

Easy Ad Links:

R.COM <https://dam.gettyimages.com/p/z0c3461/external?q=RF29A9675MT%20Carousel%20Images%20RCOM>

S.COM <https://dam.gettyimages.com/p/z0c3461/external?q=RF29A9675MT%20Carousel%20Images%20SCOM>

360 Spin <https://dam.gettyimages.com/p/z0c3461/external?q=RF29A9675MT%20360%20Spins>





# RF29A967512 Carousel Image Order

Easy Ad Links:

R.COM <https://dam.gettyimages.com/p/z0c3461/external?o=AND&q=RF29A967512%20Carousel%20Images%20RCOM>

S.COM <https://dam.gettyimages.com/p/z0c3461/external?o=AND&q=RF29A967512%20Carousel%20Images%20SCOM>

360 Spin <https://dam.gettyimages.com/p/z0c3461/external?q=RF29A9675MT%20360%20Spins>



# Carousel Images - Easy Ads Links

R.COM
<b>Matte Black Steel:</b> <a href="https://dam.gettyimages.com/p/z0c3461/external?o=AND&amp;q=RF29A9675MT%20Carousel%20Images%20RCOM">https://dam.gettyimages.com/p/z0c3461/external?o=AND&amp;q=RF29A9675MT%20Carousel%20Images%20RCOM</a>
<b>Navy Steel:</b> <a href="https://dam.gettyimages.com/p/z0c3461/external?o=AND&amp;q=RF29A9675%20Navy%20Steel%20Carousel%20Images%20RCOM">https://dam.gettyimages.com/p/z0c3461/external?o=AND&amp;q=RF29A9675%20Navy%20Steel%20Carousel%20Images%20RCOM</a>
<b>Stainless Steel:</b> <a href="https://dam.gettyimages.com/p/z0c3461/external?o=AND&amp;q=RF29A9675AP%20Panel%20Ready%20Stainless%20Steel%20RCOM">https://dam.gettyimages.com/p/z0c3461/external?o=AND&amp;q=RF29A9675AP%20Panel%20Ready%20Stainless%20Steel%20RCOM</a>
<b>Emerald Green Steel:</b> <a href="https://dam.gettyimages.com/p/z0c3461/external?o=AND&amp;q=RF29A9675AP%20Panel%20Ready%20Emerald%20Green%20Steel%20RCOM">https://dam.gettyimages.com/p/z0c3461/external?o=AND&amp;q=RF29A9675AP%20Panel%20Ready%20Emerald%20Green%20Steel%20RCOM</a>
<b>Tuscan Steel:</b> <a href="https://dam.gettyimages.com/p/z0c3461/external?o=AND&amp;q=RF29A9675%20Tuscan%20Steel%20Carousel%20Images%20RCOM">https://dam.gettyimages.com/p/z0c3461/external?o=AND&amp;q=RF29A9675%20Tuscan%20Steel%20Carousel%20Images%20RCOM</a>
<b>White Glass:</b> <a href="https://dam.gettyimages.com/p/z0c3461/external?o=AND&amp;q=RF29A9675%20White%20Glass%20Carousel%20Images%20RCOM">https://dam.gettyimages.com/p/z0c3461/external?o=AND&amp;q=RF29A9675%20White%20Glass%20Carousel%20Images%20RCOM</a>
<b>Pink Glass:</b> <a href="https://dam.gettyimages.com/p/z0c3461/external?o=AND&amp;q=RF29A9675AP%20Panel%20Ready%20Pink%20Glass%20RCOM">https://dam.gettyimages.com/p/z0c3461/external?o=AND&amp;q=RF29A9675AP%20Panel%20Ready%20Pink%20Glass%20RCOM</a>
<b>Matte Grey Glass:</b> <a href="https://dam.gettyimages.com/p/z0c3461/external?o=AND&amp;q=RF29A9675AP%20Panel%20Ready%20Matte%20Grey%20Glass%20RCOM">https://dam.gettyimages.com/p/z0c3461/external?o=AND&amp;q=RF29A9675AP%20Panel%20Ready%20Matte%20Grey%20Glass%20RCOM</a>
<b>Charcoal Glass:</b> <a href="https://dam.gettyimages.com/p/z0c3461/external?o=AND&amp;q=RF29A9675AP%20Panel%20Ready%20Charcoal%20Glass%20RCOM">https://dam.gettyimages.com/p/z0c3461/external?o=AND&amp;q=RF29A9675AP%20Panel%20Ready%20Charcoal%20Glass%20RCOM</a>
<b>Clementine Glass:</b> <a href="https://dam.gettyimages.com/p/z0c3461/external?o=AND&amp;q=RF29A9675AP%20Panel%20Ready%20Clementine%20Glass%20RCOM">https://dam.gettyimages.com/p/z0c3461/external?o=AND&amp;q=RF29A9675AP%20Panel%20Ready%20Clementine%20Glass%20RCOM</a>
<b>Morning Blue Glass:</b> <a href="https://dam.gettyimages.com/p/z0c3461/external?o=AND&amp;q=RF29A9675AP%20Panel%20Ready%20Morning%20Blue%20Glass%20RCOM">https://dam.gettyimages.com/p/z0c3461/external?o=AND&amp;q=RF29A9675AP%20Panel%20Ready%20Morning%20Blue%20Glass%20RCOM</a>
<b>Sunrise Yellow Glass:</b> <a href="https://dam.gettyimages.com/p/z0c3461/external?o=AND&amp;q=RF29A9675AP%20Panel%20Ready%20Sunrise%20Yellow%20Glass%20RCOM">https://dam.gettyimages.com/p/z0c3461/external?o=AND&amp;q=RF29A9675AP%20Panel%20Ready%20Sunrise%20Yellow%20Glass%20RCOM</a>

S.COM
<b>Matte Black Steel:</b> <a href="https://dam.gettyimages.com/p/z0c3461/external?o=AND&amp;q=RF29A9675MT%20Carousel%20Images%20SCOM">https://dam.gettyimages.com/p/z0c3461/external?o=AND&amp;q=RF29A9675MT%20Carousel%20Images%20SCOM</a>
<b>Navy Steel:</b> <a href="https://dam.gettyimages.com/p/z0c3461/external?o=AND&amp;q=RF29A9675%20Navy%20Steel%20Carousel%20Images%20SCOM">https://dam.gettyimages.com/p/z0c3461/external?o=AND&amp;q=RF29A9675%20Navy%20Steel%20Carousel%20Images%20SCOM</a>
<b>Stainless Steel:</b> <a href="https://dam.gettyimages.com/p/z0c3461/external?o=AND&amp;q=RF29A9675AP%20Panel%20Ready%20Stainless%20Steel%20SCOM">https://dam.gettyimages.com/p/z0c3461/external?o=AND&amp;q=RF29A9675AP%20Panel%20Ready%20Stainless%20Steel%20SCOM</a>
<b>Emerald Green Steel:</b> <a href="https://dam.gettyimages.com/p/z0c3461/external?o=AND&amp;q=RF29A9675AP%20Panel%20Ready%20Emerald%20Green%20Steel%20SCOM">https://dam.gettyimages.com/p/z0c3461/external?o=AND&amp;q=RF29A9675AP%20Panel%20Ready%20Emerald%20Green%20Steel%20SCOM</a>
<b>Tuscan Steel:</b> <a href="https://dam.gettyimages.com/p/z0c3461/external?o=AND&amp;q=RF29A9675%20Tuscan%20Steel%20Carousel%20Images%20SCOM">https://dam.gettyimages.com/p/z0c3461/external?o=AND&amp;q=RF29A9675%20Tuscan%20Steel%20Carousel%20Images%20SCOM</a>
<b>White Glass:</b> <a href="https://dam.gettyimages.com/p/z0c3461/external?o=AND&amp;q=RF29A9675%20White%20Glass%20Carousel%20Images%20SCOM">https://dam.gettyimages.com/p/z0c3461/external?o=AND&amp;q=RF29A9675%20White%20Glass%20Carousel%20Images%20SCOM</a>
<b>Pink Glass:</b> <a href="https://dam.gettyimages.com/p/z0c3461/external?o=AND&amp;q=RF29A9675AP%20Panel%20Ready%20Pink%20Glass%20SCOM">https://dam.gettyimages.com/p/z0c3461/external?o=AND&amp;q=RF29A9675AP%20Panel%20Ready%20Pink%20Glass%20SCOM</a>
<b>Matte Grey Glass:</b> <a href="https://dam.gettyimages.com/p/z0c3461?o=AND&amp;q=RF29A9675AP%20Panel%20Ready%20Matte%20Grey%20Glass%20SCOM">https://dam.gettyimages.com/p/z0c3461?o=AND&amp;q=RF29A9675AP%20Panel%20Ready%20Matte%20Grey%20Glass%20SCOM</a>
<b>Charcoal Glass:</b> <a href="https://dam.gettyimages.com/p/z0c3461/external?o=AND&amp;q=RF29A9675AP%20Panel%20Ready%20Charcoal%20Glass%20SCOM">https://dam.gettyimages.com/p/z0c3461/external?o=AND&amp;q=RF29A9675AP%20Panel%20Ready%20Charcoal%20Glass%20SCOM</a>
<b>Clementine Glass:</b> <a href="https://dam.gettyimages.com/p/z0c3461/external?o=AND&amp;q=RF29A9675%20Clementine%20Glass%20Carousel%20Images%20SCOM">https://dam.gettyimages.com/p/z0c3461/external?o=AND&amp;q=RF29A9675%20Clementine%20Glass%20Carousel%20Images%20SCOM</a>
<b>Morning Blue Glass:</b> <a href="https://dam.gettyimages.com/p/z0c3461/external?o=AND&amp;q=RF29A9675AP%20Panel%20Ready%20Morning%20Blue%20Glass%20SCOM">https://dam.gettyimages.com/p/z0c3461/external?o=AND&amp;q=RF29A9675AP%20Panel%20Ready%20Morning%20Blue%20Glass%20SCOM</a>
<b>Sunrise Yellow Glass:</b> <a href="https://dam.gettyimages.com/p/z0c3461/external?o=AND&amp;q=RF29A9675AP%20Panel%20Ready%20Sunrise%20Yellow%20Glass%20SCOM">https://dam.gettyimages.com/p/z0c3461/external?o=AND&amp;q=RF29A9675AP%20Panel%20Ready%20Sunrise%20Yellow%20Glass%20SCOM</a>




# Product Messaging

---




**RF29A9675 – Bespoke 4-Door Flex™ Refrigerator  
(29 cu. ft.) in Customizable Panel**



## Features and Benefits – RF29A9675




Overall Product Headline	Feature Name	Long Body Copy	Short Body Copy	Associated Image
<p><b>Customizable Door Colors</b></p>	<p><b>Color Customization</b></p>	<p>Customize the design of your refrigerator with changeable door panels. Choose from a variety of colors and two finishes to create a space that fits your style.</p>	<p>With customizable door panels, choose from twelve colors and two finishes to create a space that fits your style.</p>	
<p><b>Press or Pour – Water Two Ways</b></p>	<p><b>Beverage Center™</b></p>	<p>Quick access to refreshingly cool, filtered water two ways. Choose from an internal dispenser or a built-in pitcher that automatically refills, with the option to infuse with a flavor.</p>	<p>Choose from an internal dispenser or a built-in AutoFill Water Pitcher.</p>	
<p><b>Ice your way</b></p>	<p><b>Dual Ice Maker with Ice Bites™</b></p>	<p>Enjoy your favorite beverage with your choice of ice. Select from cubed ice or Ice Bites™ that chill your drink faster.</p>	<p>Select from cubed ice or Ice Bites™ that chill your drink faster.</p>	

## Features and Benefits – RF29A9675 (Continued)

Overall Product Headline	Feature Name	Long Body Copy	Short Body Copy	Associated Image
<p><b>Convert from fridge to freezer</b></p>	<p><b>FlexZone™</b></p>	<p>Customize your lower-right storage space to be a refrigerator or freezer. With five adjustable settings, you choose what foods to store from fruits and vegetables to your favorite ice cream.</p>	<p>Customize your lower-right storage space to be a refrigerator or freezer.</p>	
<p><b>More space, more ways to stay organized</b></p>	<p><b>Extra-large Capacity</b></p>	<p>With 29 cu. ft. of capacity, this spacious refrigerator is designed for convenience, offering flexibility and organization to store and access all your favorite foods with ease.</p>	<p>29 cu. ft. of flexible storage space to fit all the food you love, with room for more.</p>	
<p><b>Designed for a modern look</b></p>	<p><b>Modern Design</b></p>	<p>Flat Panel door design with easy-to-open recessed handles blends into your kitchen to give you a modern look.</p>	<p>Modern look that blends into your kitchen.</p>	



## Features and Benefits – RF29A9675 (Continued)

Overall Product Headline	Feature Name	Long Body Copy	Short Body Copy	Associated Image
<b>Flexible freshness</b>	<b>Flex Crisper™ Drawer</b>	A flexible storage drawer that is perfect for storing meats, veggies, or cheeses at their optimal temperature with two customizable temperature settings.	A convertible temperature drawer to store all your food at their optimal temperature.	 A close-up view of the Flex Crisper drawer, which is partially open, showing its interior shelves and the 'Flex Crisper' label. To the left, an 'Express Water Filter' is visible.
<b>Fresh air, day after day</b>	<b>UV Deodorizing Filter</b>	Keep the air in your fridge fresh day after day with a built-in deodorizing filter. The filter reduces odor from the air in your fridge, while UV technology continuously cleans the filter itself.	Keep the air in your fridge fresh day after day with a built-in deodorizing filter with UV technology that continuously cleans the filter itself.	 A close-up view of the UV Deodorizing Filter, which is a long, thin, white component with blue light emanating from it, set against a dark background. The text 'Triple Cooling' is visible below the filter.
<b>Powerful cooling performance</b>	<b>Triple Cooling</b>	A premium cooling system featuring three evaporators for ultimate freshness and providing precise temperature and humidity controls in all three zones to help your food stay fresher longer.	Precise temperature and humidity controls in all three zones to help your food stay fresher longer.	 A view of the refrigerator's interior with the doors open, showing the three cooling zones. Blue arrows indicate the airflow from the evaporators. The zones are numbered 1, 2, and 3.

# 90-Day Satisfaction Guarantee

**If your panel colors don't perfectly fit your style, we've got you covered with a 90-day exchange period for the front door panels only.\***

\*Purchasers of Refrigerator Models RF23A9675 and RF29A9675 are eligible to exchange the front door panels once within 90 days of order date for new front door panels of another color. To initiate exchange contact Samsung at 1-833-554-0084 or BESPOKESupport@sea.samsung.com. Dated proof of purchase is required. This is an exchange only option for the front door panels. Exchange process includes removal of old front door panels and installation of new front door panels. All terms, conditions, and limitations in the Refrigerator Limited Warranty apply, including the limitation on implied warranties (where permitted by law).



# Lifestyle Images

---

**RF29A9675 – Bespoke 4-Door Flex™ Refrigerator  
(29 cu. ft.) in Customizable Panel**

# Lifestyle Images

Easy Ads link

<https://dam.gettyimages.com/p/z0c3461/external?o=AND&q=RF29A9675%20Lifestyle%20Images>



# Product Specs

---

**RF29A9675 – Bespoke 4-Door Flex™ Refrigerator  
(29 cu. ft.) in Customizable Panel**

# Review Mapping

SKU	Type	Color
RF29A9675AP	4-Door Flex™	Custom Panel-Ready
RF29A9675MT	4-Door Flex™	Matte Black Steel
<b>RF29A967512</b>	<b>4-Door Flex™</b>	<b>White Glass</b>

# Related Product

Water Filter
HAF-QIN



# Spec Sheet

Easy Ads link

<https://dam.gettyimages.com/p/z0c3461/external?o=AND&q=RF29A9675%20Spec%20Sheet>

## RF29A9675

**Bespoke 4-Door Flex™ Refrigerator**  
(29 cu. ft.) in Customizable Panel

**SAMSUNG**

**Signature Features**

**Color Customization**  
Customize the design of your refrigerator with changeable door panels. Choose from a variety of colors and two finishes to create a space that fits your style.

**Beverage Center™**  
Quick access to refreshingly cool, filtered water two ways. Choose from an internal dispenser or a built-in pitcher that automatically refills, with the option to infuse with a flavor.

**Dual Ice Maker with Ice Bites™**  
Enjoy your favorite beverage with your choice of ice. Select from cubed ice or Ice Bites that chill your drink faster. Makes up to 6 lbs per day, stores up to 9 lbs total.

**Bespoke 4-Door Flex™ Standard Color Models**

White Glass

Matte Black Steel

Custom Panel-Ready

**Bespoke Panel Color Selection**

**Design**

- Color Customization
- Beverage Center™
- Modern Design
- LED Lighting

**Technology**

- Dual Ice Maker with Ice Bites™ and Cubed Ice
- UV Deodorizing Filter
- Wi-Fi Enabled

**Performance**

- FlexZone™
- Extra-Large Flexible Storage
- Flex Crisper™ Drawer
- Triple Cooling

**Rating**

ENERGY STAR® rated:  
704 kWh/yr

ADA Compliant

## RF29A9675

**Bespoke 4-Door Flex™ Refrigerator**  
(29 cu. ft.) in Customizable Panel

**SAMSUNG**

**Installation Specifications**

1. Measure the height, width and depth of the opening, making sure to include baseboards, molding tile, countertop overhang, etc. Check to be sure there is enough room to open the door (consider walls, islands or other obstacles when measuring).
2. Refer to illustration below to determine dimensions.
3. Allow 2.5" of clearance on hinge side of refrigerator when installing next to a wall where handle may make contact.
4. Allow 1" minimum clearance at rear for proper air circulation and water/electrical connections. Allow a 3/8" minimum clearance at sides and top for ease of installation.
5. Ensure each door and entryway in the home is wide enough for the refrigerator to be moved through easily.

For optimal usage and ability to open refrigerator doors completely, do not install next to a wall.  
Please note: The following dimension and cutout information is for planning purposes only. For complete installation details, consult manual packed with product or download manual online at [samsung.com](http://samsung.com).

**Dimensions**

**Total Capacity: 29 cu. ft.**

**Refrigerator: 17.4 cu. ft.**

- 4 Tempered Glass Spill-Proof Shelves
- 2 Clear Drawers: Flex Crisper™ and Crisper+
- 6 Door Bins
- Right: 1 Gallon Bin, 2 Regular Bins
- Left: 1 Gallon Bin, 2 Regular Bins
- LED Lighting

**Freezer: 11.6 cu. ft.**

- Dual Ice Maker in Freezer (Cubed Ice or Ice Bites™)
- 2 Ice Buckets with Cover and 1 Scoop
- 3 Slide-Out Shelves
- 2 Clear Drawers
- 6 Door Bins
- LED Lighting

**Accessories**

Water Filter: HAF-QIN

**Warranty**

One (1) Year Parts and Labor on Refrigerator  
Two (2) Years Parts and Labor on Ice Maker  
Five (5) Years Parts and Labor on Sealed Refrigeration System Only\*  
Ten (10) Years Parts and Five (5) Years Labor on Digital Inverter Compressor

\*Compressor, evaporator, condenser, drier and connecting tubing.

**Product Dimensions**

Dimensions (WxHxD with hinges and doors):  
35 7/8" x 73" x 34 1/4"

Dimensions (WxHxD without hinges and door):  
35 1/8" x 70 3/4" x 29 3/8"

**Shipping Dimensions (WxHxD)**  
Dimensions: 38 1/4" x 78 7/8" x 36 1/4"

Color	Model #	UPC Code	Product & Shipping Weight (lbs)	
Matte Black Steel	RF29A9675MT	887276525785	352.7	374.8
White Glass	RF29A967512	887276651385	361.6	383.6
Custom Panel-Ready	RF29A9675AP	887276525778	330.7	352.7

Actual color may vary. Design, specifications, and color availability are subject to change without notice. Non-metric weights and measurements are approximate.  
©2022 Samsung Electronics America, Inc., 85 Challenger Road, Ridgefield Park, NJ 07660. Tel: 800-SAMSUNG, [samsung.com](http://samsung.com). Samsung is a registered trademark of Samsung Electronics Co., Ltd.

Spec Sheet - front

Spec Sheet - back

# Will It Fit Guide

## Easy Ads link

<https://dam.gettyimages.com/p/z0c3461/external?o=AND&q=RF29A9675%20Spec%20Sheet>

**29 cu. ft. BESPOKE 4-Door Flex™**
**SAMSUNG**

MODEL RF29A9675 DIMENSIONS

**Be sure your new fridge will fit**  
Don't wait until delivery to be sure your new refrigerator will fit – both in your kitchen and through all doorways. This guide includes all pertinent measurements and clearances so you can buy with confidence.

**Standard Depth Refrigerator**  
Standard depth refrigerators typically measure 30 to 35 inches in depth, as opposed to counter depth refrigerators that sit flush with cabinetry.

**Installation clearances**

- ✓ Allow 3 ¼" of clearance when installing along a wall. This will allow for the door to open 90 degrees without the handle contacting the wall.
- ✓ Allow 2" minimum clearance at rear for proper air circulation and water/electrical connections.
- ✓ Allow a ¾" minimum clearance at sides and top for ease of installation.

**For optimal usage and ability to open refrigerator doors completely, do not install next to a wall.**

Please note: The above dimension and cutout information is for planning purposes only. For complete installation details, consult manual packed with product or download manual online at [samsung.com](http://samsung.com).

**Walk the delivery route**

- ✓ Identify the narrowest opening that the appliance will travel through, from outside the home to the location where it will be installed.
- ✓ Appliance depth or width must be smaller than the width of the narrowest opening.

Will It Fit Guide



# Energy Guide and User Manual

## Easy Ads link

<https://dam.gettyimages.com/p/z0c3461/external?o=AND&q=RF29A9675%20Energy%20Label>

U.S. Government Federal law prohibits removal of this label before consumer purchase.

# ENERGYGUIDE

Refrigerator-Freezer Samsung  
 • Automatic Defrost Model RF29A9675\*\*  
 • Bottom-Mounted Freezer Capacity: 29.0 Cubic Feet  
 • No Through-the-Door Ice Service


**Compare ONLY to other labels with yellow numbers.**  
 Labels with yellow numbers are based on the same test procedures.

**Estimated Yearly Energy Cost**

## \$84

Cost Ranges	Models with similar features	\$78	\$86
	All models	\$78	\$107

**704 kWh**  
 Estimated Yearly Electricity Use




- Your cost will depend on your utility rates and use.
- Both cost ranges based on models of similar size capacity.
- Models with similar features have automatic defrost, bottom-mounted freezer, and no through-the-door ice.
- Estimated energy cost based on a national average electricity cost of 12 cents per kWh.

[ftc.gov/energy](http://ftc.gov/energy)

Energy Guide

## Easy Ads link

<https://dam.gettyimages.com/p/z0c3461/external?o=AND&q=RF29A9675%20User%20Manual>



# Refrigerator

## User manual

Free Standing Appliance

**SAMSUNG**

User Manual

















# Bespoke Panel Installation Guide

## Easy Ads link

<https://dam.gettyimages.com/p/z0c3461/external?o=AND&q=Bespoke%20Installation%20Guide>

## Installation Instruction

DA68-02659F-01



## Installation Instruction

### CAUTION

EN

- Place the top panel into the groove along the bottom of the top door and press the edges of the panel in to secure it as shown in figure 1.3. Make sure that there is no gap between the panel and the door. Once the panel is securely installed, insert the retaining clips as shown in figure 1.5.
- Place the middle or bottom panel into the groove along the top of the bottom door and press the edges of the panel in to secure it as shown in figure 2.3. Make sure that there is no gap between the panel and the door. Once the panel is securely installed, insert the retaining clips as shown in figure 2.5. (The number of clips differs with the product type.)
- After inserting the panel properly, make sure it is firmly secured by pressing its edges tightly.
- Ensure there is no gap between the panel and the door and the retaining clips are fully inserted to prevent the panel from falling off due to external forces.
- Wear gloves without ornaments such as rings before working on the installation.
- It is recommended to use a chair or ladder when working on a higher portion of the product. Be careful not to fall.
- For safety reasons, two or more persons are recommended to handle the product.
- When removing the bottom clips, take caution not to drop them under the bottom of the product.

### PRECAUCIÓN

MES

- Inserte el panel superior en el canal de abajo de la puerta superior y presione los bordes del panel para ensamblarlo como se muestra en la figura 1.3. Verifique que no haya espacio entre el panel y la puerta en ningún punto alrededor del marco y después fíjelo insertando los clips como se muestra en la figura 1.5.
- Coloque el panel central o inferior en la ranura a lo largo de la parte superior de la puerta inferior y presione los bordes del panel para asegurarlo como se muestra en la figura 2.3. Asegúrese de que no quede espacio entre el panel y la puerta. Una vez que el panel quede instalado en forma segura, inserte las grapas de retención como se muestra en la figura 2.5. (La cantidad de grapas varía según el tipo de producto).
- Luego de colocar el panel adecuadamente, asegúrese de que quede bien agarrado presionando sus bordes con firmeza.
- Si los clips no se insertan completamente o hay un espacio entre el panel y la puerta, el panel puede caerse con cualquier impacto externo, como golpes o cerrando fuerte la puerta.
- Use guantes sin accesorios tales como anillos antes de trabajar en la instalación.
- Se recomienda el uso de una silla o una escalera al trabajar en la parte superior del producto. Tenga cuidado de no caerse.
- Por razones de seguridad, se recomienda que el producto sea manipulado por dos o más personas.
- Al quitar las grapas de la parte inferior, tenga cuidado de que no se caigan debajo del producto.

### ATTENTION

CFR

- Insérez le panneau supérieur dans la rainure de fixation de la partie inférieure de la porte supérieure, puis appuyez sur le bord du panneau pour le fixer comme indiqué à la figure 1.3, et vérifiez qu'il n'y a pas d'espace entre le panneau et la porte, puis fixez-le en insérant les clips comme illustré à la figure 1.5.
- Placez le panneau central ou inférieur dans la rainure le long de la partie supérieure de la porte inférieure et appuyez sur les bords du panneau pour le fixer comme indiqué sur la figure 2.3. Vérifiez l'absence d'espace entre le panneau et la porte. Une fois le panneau correctement installé, insérez les brides de retenue comme indiqué sur la figure 2.5. (Le nombre de brides varie en fonction du type de produit.)
- Une fois le panneau inséré correctement, appuyez fermement sur ses bords pour vous assurer de sa fixation adéquate.
- Si les clips ne sont pas complètement insérés ou s'il y a un espace entre le panneau et la porte, le panneau peut tomber à la suite d'un choc externe.
- Portez des gants sans bijoux, telles que des bagues, lorsque vous procédez à l'installation.
- Il est recommandé d'utiliser une chaise ou une échelle lorsque vous intervenez sur une partie en hauteur de l'appareil. Faites attention à ne pas tomber.
- Pour des raisons de sécurité, deux personnes ou plus sont recommandées pour manipuler l'appareil.
- Lors du retrait des brides inférieures, veillez à ne pas les faire tomber sous l'appareil.



# Warranty

## Easy Ads link

<https://dam.gettyimages.com/p/z0c3461/external?o=AND&q=RF29A9675%20Warranty>

### Limited Warranty (U.S.A)

RF29A9675  
RF23A9675

#### SAMSUNG REFRIGERATOR

#### LIMITED WARRANTY TO ORIGINAL PURCHASER WITH PROOF OF PURCHASE

This SAMSUNG brand product, as supplied and distributed by Samsung Electronics America, Inc. (SAMSUNG) and delivered new, in the original carton to the original consumer purchaser, is warranted by SAMSUNG against manufacturing defects in materials or workmanship for the limited warranty period of:

**One (1) Year Parts and Labor on Refrigerator**

**Two (2) Years Parts and Labor on Ice Maker**

**Five (5) Years Parts and Labor on Sealed Refrigeration System Only  
(Compressor, Evaporator, Condenser, Drier, and Connecting Tubing)**

**Ten (10) Years Parts and Five (5) Years Labor on Digital Inverter Compressor**

This limited warranty is valid only on products purchased and used in the United States that have been installed, operated, and maintained according to the instructions attached to or furnished with the product. To receive warranty service, the purchaser must contact SAMSUNG at the address or phone number provided below for problem determination and service procedures. Warranty service can only be performed by a SAMSUNG authorized service center. The original dated bill of sale must be presented upon request as proof of purchase to SAMSUNG or SAMSUNG's authorized service center to receive warranty service.

SAMSUNG will provide in-home service within the contiguous United States during the warranty period at no charge, subject to availability of SAMSUNG authorized servicers within the customer's geographic area. If in-home service is not available, SAMSUNG may elect, at its option, to provide transportation of the product to and from an authorized service center. If the product is located in an area where service by a SAMSUNG authorized servicer is not available, you may be responsible for a trip charge or required to bring the product to a SAMSUNG authorized service center for service.

To receive in-home service, product must be unobstructed and accessible to the Service agent.

During the applicable warranty period, a product will be repaired, replaced, or the purchase price refunded, at the sole option of SAMSUNG. SAMSUNG may use new or reconditioned parts in repairing a product, or replace the product with a new or reconditioned product. Replacement parts and products are warranted for the remaining

# Feature Icons


---

**RF29A9675 – Bespoke 4-Door Flex™ Refrigerator  
(29 cu. ft.) in Customizable Panel**


# Feature Icons

## Easy Ads link


<https://dam.gettyimages.com/p/z0c3461/external?o=AND&q=9675%20Icons>




Beverage Center™



Dual Auto Ice Maker



FlexZone™



Wi-Fi Connectivity



ENERGY STAR

ENERGY STAR®  
Certified

**SAMSUNG**