

EAN: 4002516103943 / material number: 10902460

#### HR 1956-2 G

## 48 inch range

Dual Fuel with M Touch controls, Moisture Plus and M Pro dual stacked burners



- Multicolored TFT touch display with clear text M Touch
- Maximum variety six powerful burners and a griddle
- Speed oven for a maximum variety of uses
- Perfect baking and roasting results -Moisture plus
- Precise cooking temperature – Wireless Precision Probe

Canatruction type	
Construction type	_
Range including speed oven and gourmet drawer	48
Appliance width in inches	40
Type of heating	
Dual fuel	Not well see
Gas type	Natural gas
Design	Clean Tayloh Ctael
Appliance color	Clean Touch Steel
Oven display	M Touch
Speed Oven display	M Touch / M Touch
Convenience features	75 57505
Precise temperature control	75-575°F
Microwave power levels in W	80/150/300/450/600/850/1 000
Wireless Precision Probe	•
Roast probe- speed oven	•
Keep-warm function	•
Crisp Function	•
Operating modes	
Defrost	•
MasterChef automatic programs	80
MasterChef Plus automatic programs	15
Auto roast	•
Gentle bake	•
Maxi Broil	•
Broil	•
Convection Bake	•
Intensive	•
Moisture plus	•
Slow roast	•
Microwave	•
Combi Auto Roast	•
Micro Broil	•
Combi Bake	•
Combi Broil	•
Surround	•
Browning	
Bake	
Convection Roast	
Special modes	
Convenience features and operating modes - gourmet drawer	
Warm cups	•
Warm plates	•
Keep food at serving temperature	•
Low-temperature cooking	•
Precise electronic temperature control from 104°F to	•

More information at www.MieleUSA.com



### HR 1956-2 G

## 48 inch range Dual Fuel with M Touch controls, Moisture Plus and M Pro dual stacked burners



Cooktop features	
Number of gas burners	6
Number of simmer burners	2 x 10.000
Number of simmer burners	1 x 13.600
Number of simmer burners	3 x 19.500
True Simmer function	•
GasStop	<u> </u>
ReStart	<u> </u>
Number of griddle surfaces	1 x 13.000
Width of griddle surface in in.(mm)	10 1/4 (258)
Depth of griddle surface in in.(mm)	17 1/8 (434)
Control panel	17 170 (404)
Precision knobs	•
Illuminated knob	
ComfortSwivel handle	<u> </u>
Motorized lift-up control panel	•
Sabbath program	_ <del>`</del>
MultiLingua	_ <del>`</del>
MyMiele Time or polyropization	_ <del>`</del>
Time synchronization	
Time of day display	
Date display	
Minute minder	•
Time buffer in h	
Automatic switch-off	
Programmable cooking time	
Actual temperature display	
Default temperatures	<u>•</u>
Acoustic signal when desired temperature is reached	<u>•</u>
Favorites	20
Individual settings	<u> </u>
Timed bursts of steam	•
Warming drawer capacity	6 place settings
Microwave popcorn function	•
Recommended microwave output for each mode	•
Minute Plus button	•
Fully telescopic for easy loading and unloading of the	•
gourmet drawer	
Gourmet drawer with push-to-open mechanism	•
Door Class Class door	•
CleanGlass door	<del>•</del>
Door contact switch	
SoftClose oven door/ SoftOpen	•
Cavity	2.21 (01)
Oven cavity volume in cu. ft. (l)	3.21 (91)
Speed oven cavity volume in cu.ft. (I)	1.52 (43)
Number of oven shelf levels	5
Number of Speed Oven shelf levels	3
No. of halogen lamps	3 in ovens/1 in microwave combination ovens



## HR 1956-2 G

# 48 inch range Dual Fuel with M Touch controls, Moisture Plus and M Pro dual stacked burners



Cleaning convenience	
Stainless-steel front with partial Clean Touch Steel finish	•
Stainless-steel Speed Oven interior with PerfectClean and linen-weave finish	•
Oven with self-cleaning program	•
AirClean catalyzer	•
Broil element can be lowered	•
ComfortClean dishwasher-safe grates	•
Cooktop surface	Black enamel
Efficiency and sustainability	
Energy-saving lighting circuit	•
Residual heat utilization	•
Rapid PreHeat	•
Safety	
Appliance cooling system with cool touch front	•
Safety cut-out	•
Anti-slip liner in the gourmet drawer	•
System lock	•
Door contact switch	•
Door lock during self cleaning	•
Technical data	
Appliance width in inches	47 15/16
Appliance width in in.(mm)	1,220
Appliance height in in.(mm)	37 1/8 (942)
Appliance depth in in. (depth) with bullnose	27 1/2 (698)
Power Rating in V	120
Convertible voltage in V	240/208
Fuse rating in A	50
Number of phases	1
Fresh water connection for Moisture Plus	•
Standard accessories	
Anti-splash insert	1
PerfectClean universal baking tray	1
Self Clean ready baking and roasting rack	3
Glass tray	2