Integrated Double DishDrawer™ Dishwasher, Tall, Sanitize

Series 11 | Integrated

Panel Ready



Integrates seamlessly into kitchen cabinetry. Each drawer features a premium stainless steel interior and operates independently, for flexible washing.

- Eight wash cycles from Heavy to Light, including Auto, 60min and Glassware
- Tall top drawer fits full-size dinner plates up to 12 1/4 inches, with flexible racking for large cookware
- With soft-close drawers, and knock to pause convenience

 Wi-Fi capability and a SmartHQ[™] app for remote control and notifications

DIMENSIONS

| Height | 34 - 36 3/8" |
|--------|--------------|
| Width | 23 9/16″ |
| Depth | 22 1/2" |

FEATURES & BENEFITS

Seamless integration

Install your DishDrawer[™] Dishwasher into an existing kitchen space or integrate into kitchen cabinetry. The touch-sensitive control panel is located inside this Integrated model, leaving an uninterrupted exterior that blends seamlessly with surrounding cabinetry.

Ease of use

DishDrawer[™] Dishwashers are beautiful to use with soft-close drawers. The tall top drawer fits your larger plates and dishes up to 12 1/4 inches, while the bottom drawer is ideal for small washes. Flexible racking includes height-adjustable cup racks and wine glass supports.

True half load

Both drawers fit a true half load. Each drawer operates independently, so you can wash one load while stacking the other drawer, or wash simultaneously on separate cycles.

Flexible wash options

Eight wash programs including Auto, 60min and Glassware, while modifiers such as Sanitize, Extra Dry and Quiet provide added wash flexibility. The Quiet wash modifier reduces the noise on some cycles while maintaining performance – perfect for late night washing.

Design quality

Every detail has been carefully crafted using quality materials, from the easy-to-clean stainless steel interior to the spray arm sensor that detects jams for increased wash confidence.

Knock to pause

For ease-of-use, these DishDrawer[™] Dishwashers have a knock to pause function. A knock on the front panel will pause the dishwasher, which can be restarted by using the start button.

Efficient performance

With a 2021 Energy Star Most Efficient rating, this DishDrawer™ Dishwasher is recognised amongst the most energy efficient models on the market.

SPECIFICATIONS

Accessories

| Contempora | ary round handle | Part number 81671 |
|---------------|-----------------------|-------------------|
| Contempora | ary square fine | Part number 82104 |
| Contempora | ary square handle | Part number 81908 |
| Cutlery bask | ket | • |
| Kickstrip | | • |
| Knife clip ar | nd multipurpose | • |
| Optional sta | inless steel door kit | 81261 ADDD24DT |
| Professiona | round flush handle | Part number 82140 |
| Professiona | round handle kit | Part number 82142 |
| Professiona | square handle kit | Part number 81727 |
| | | |

Capacity and loading

| Accommodates round plates | 12.25" (top) 11" (bottom) |
|-----------------------------|---------------------------|
| Adjustable height, foldable | • |
| Fold down tines | • |
| Pitch adjustable tines | • |

FISHER & PAYKEL

QUICK REFERENCE GUIDE > DD24DTX6I1

| Place settings | 14 | Rated current |
|------------------------------|---------------------------|----------------------------------|
| Wine glass supports with | • | Supply frequency |
| | | Supply voltage |
| Consumption | | |
| Water usage (per wash cycle) | 3.4 gal running both tubs | Product dimensions |
| | | Depth |
| Controls | | Height |
| Child lock | • | Width |
| Electronic fault/Diagnostic | • | |
| End of cycle beeps | • | Warranty |
| Energy saving delay start | • | Parts and labour |
| Internal wash selector | • | |
| Knock to pause | • | Wash Programs |
| Rinse aid indicator light | • | 60 min |
| Spray arm sensing | • | Auto |
| Wi-Fi connectivity | • | Dry + |
| | | Eco |
| Features | | Glassware |
| Fan assisted drying | • | |
| Flow through detergent | • | Heavy Light |
| Internal tub material | Stainless steel | - |
| Quiet operation | • | Medium |
| SmartDrive™ technology | • | Number of wash programs Quiet |
| Soft close drawer | • | |
| | | Rinse |
| Performance | | Wash modifiers |
| Noise on standard cycle top | 44dBA | Water connection |
| | | Inlet water temperature |
| Power requirements | | Supplied hose to suit 3/8" |
| Amperage | 10A | |

| Rated current | 15A |
|-------------------------|-----------------|
| Supply frequency | 60Hz |
| Supply voltage | 120V |
| roduct dimensions | |
| Depth | 22 1/2" |
| Height | 34 - 36 3/8" |
| Width | 23 9/16" |
| Varranty | |
| Parts and labour | Limited 2 years |
| Vash Programs | |
| 60 min | • |
| Auto | • |
| Dry + | • |
| Eco | • |
| Glassware | • |
| Heavy | • |
| light | • |
| Medium | • |
| Number of wash programs | 8 |
| Quiet | • |
| Rinse | • |
| Wash modifiers | 3 |

SKU 82162

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. ? Fisher & Paykel Appliances Ltd 2020

FISHER & PAYKEL

Max 140°F

٠

Other product downloads available at fisherpaykel.com

- ✓ User Guide
- ✓ Energy Label
- ▲ Installation Guide
- ▲ Installation Guide



A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 Wwww.fisherpaykel.com