

INSTALLATION INSTRUCTIONS



Vertical Grommet Mount Table Stand

DISCLAIMER

Milestone AV Technologies and its affiliated corporations and subsidiaries (collectively "Milestone"), intend to make this manual accurate and complete. However, Milestone makes no claim that the information contained herein covers all details, conditions or variations, nor does it provide for every possible contingency in connection with the installation or use of this product. The information contained in this document is subject to change without notice or obligation of any kind. Milestone makes no representation of warranty, expressed or implied, regarding the information contained herein. Milestone assumes no responsibility for accuracy, completeness or sufficiency of the information contained in this document.

Chief® is a registered trademark of Milestone AV Technologies. All rights reserved.

! IMPORTANT WARNINGS AND CAUTIONS!

! WARNING: A WARNING alerts you to the possibility of serious injury or death if you do not follow the instructions.

! CAUTION: A CAUTION alerts you to the possibility of damage or destruction of equipment if you do not follow the corresponding instructions.

! WARNING: DO NOT install more than ONE dual extension arm assembly per mounting pole!

! WARNING: Do not use this product outdoors

! WARNING: Failure to read, thoroughly understand, and follow all instructions can result in serious personal injury, damage to equipment, or voiding of factory warranty! It is the installer's responsibility to make sure all components are properly assembled and installed using the instructions provided.


! WARNING: Failure to provide adequate structural strength for this component can result in serious personal injury or damage to equipment! It is the installer's responsibility to make sure the structure to which this component is attached can support five times the combined weight of all equipment. Reinforce the structure as required before installing the component.

! WARNING: Exceeding the weight capacity can result in serious personal injury or damage to equipment! It is the installer's responsibility to make sure the maximum weight installed on the KTA-1007 doesn't exceed 120 lbs (54.4 kg) if mounting an array component or 40 lbs (18.1 kg) if mounting an extended arm component.


! WARNING: Use this mounting system only for its intended use as described in these instructions. Do not use attachments not recommended by the manufacturer.

! WARNING: Never operate this mounting system if it is damaged. Return the mounting system to a service center for examination and repair.

DIMENSIONS



TOOLS / PARTS FOR INSTALLATION



ASSEMBLY AND INSTALLATION

1. Locate desired point on surface where mount is to be installed.
1. Drill a 1/2" diameter hole through surface.
1. Align grommet mount base plates (B) with hole in surface. (See Figure 1)
1. Slide one 3/8-16 x 6" hex head cap screw (A) upward through lower grommet plate (B), through hole in surface and through upper grommet plate (B). (See Figure 1)

4. Mount Centris head assembly or array assembly to pole following the instructions outlined in the instructions provided with the mount.

Cable Management (optional)

1. Connect cables to display(s).
2. Route cables through holes on grommet plates (B) and hole in desk. (See Figure 2)




Figure 1




Figure 2

2. Place pole, provided with array accessory, onto upper grommet plate (B) aligning threaded hole in pole bottom with threaded end of 3/8-16 x 6" hex head cap screw (A). (See Figure 1)
3. Thread 3/8-16 x 6" hex head cap screw (A) into pole bottom and tighten with 9/16" wrench to secure pole and grommet plates (B) to surface. (See Figure 1)



Our Mounts. **Your Vision.**

Chief Manufacturing, a products division
of Milestone AV Technologies

8800-002142 Rev00
©2012 Milestone AV Technologies, a
Duchossois Group Company
www.chiefmfg.com
01/12

USA/International	A 8401 Eagle Creek Parkway, Savage, MN 55378 P 800.582.6480 / 952.894.6280 F 877.894.6918 / 952.894.6918
Europe	A Fellenoord 130 5611 ZB EINDHOVEN, The Netherlands P +31 (0)40 2668620 F +31 (0)40 2668615
Asia Pacific	A Office No. 1 on 12/F, Shatin Galleria 18-24 Shan Mei Street Fotan, Shatin, Hong Kong P 852 2145 4099 F 852 2145 4477

