

## **FEATURES THAT BRING THE HEAT:**

- **■** TEMP ASSURE™ COOKING SYSTEM
- **UERSATILE COOKTOP ELEMENTS**
- ADJUSTABLE SELF CLEAN







# **AMANA. JUST RIGHT.**

When you feel like eating in, our ranges make it easy to whip up hot meals or warm up the leftovers. With versatile cooking features right at your fingertips, you can bring more "mmm" to the table while getting more bang for your buck.



**READY. SET. COOK.** 

BAKE

375°F

BROIL

BAKE ASSIST TEM

400°F

**Bake Assist Temps** make cooking even more convenient. Just select a temperature, press start and let the oven do the rest.



#### STICK A FORK IN IT

The Temp Assure™ Cooking System distributes heat throughout the entire oven to help comfort foods like baked chicken parmesan or mom's beef pot roast taste just how you like them.



### **SELF-CLEAN OPTION**

There's no need to scrape and scrub with the Self Clean Option. Use this setting to let your range do the dirty work for you in just two to four hours.



## EASY TOUCH ELECTRONIC **CONTROLS**

It's smooth sailing on casserole night when you can set bake or broil temperatures with ease.



### **SEE AND SAVOR**

The Extra-Large Oven Window lets you check on food without having to open the oven door.

#### **30" RANGES**



**4.8** cu. ft. ACR2303MF



**4.8** cu. ft. ACR4303MF



**4.8** cu. ft. ACR4503SF 



4.8 cu. ft. AER6303MF 



4.8 cu. ft.



AER6603SF 



**20" RANGES** 


**2.6** cu. ft. AEP222VA



ELECTRIC RANGE	ACR2303MF	ACR4303MF	ACR4503SF	AER6303MF	AER6603SF	AEP222VA
Size	30"	30"	30"	30"	30"	20"
Oven Capacity (cu. ft.)	4.8	4.8	4.8	4.8	4.8	2.6
Matching Over-the-Range Microwave	AMV2307PF	AMV2307PF	AMV2307PF	AMV2307PF	AMV6502RE	_
Towel Bar Door Handle	Yes	Yes	Yes	Yes	Yes	Yes
Oven Features						
Controls	Manual	Easy Touch Electronic Controls Plus	Easy Touch Electronic Controls Plus	Easy Touch Electronic Controls Plus	Easy Touch Electronic Controls Plus	Manual
Oven Window	_	Extra-Large	Extra-Large	Extra-Large	Extra Large	Large
Self-Cleaning	_	_	Adjustable Time	_	Adjustable Time	_
Interior Oven Light	_	Yes	Yes	Yes	Yes	Yes
Oven Racks	2	2	2	2	2	2
Oven Rack Positions	5	5	5	5	5	5
Storage Drawer	Yes	Yes	Yes	Yes	Yes	_
Oven Control Lockout	_	Yes	Yes	Yes	Yes	Yes
In-Oven Broiler	Yes	Adjustable	Adjustable	Adjustable	Adjustable	Yes
Delay-Bake Oven Control	_	_	_	Yes	Yes	_
Bake Assist Temps	_	Yes	Yes	Yes	Yes	_
Temp Assure™ Cooking System	Yes	Yes	Yes	Yes	Yes	Yes
Keep Warm <sup>™</sup> Setting	_	_	_	Yes	Yes	_
Cooktop Features						
Electronic Clock w/ Timer	_	Yes	Yes	Yes	Yes	_
SpillSaver™ Upswept Cooktop	Porcelain-Steel	Porcelain-Steel	Porcelain-Steel	Glass-Ceramic	Glass-Ceramic	Porcelain-Steel
Chrome Drip Bowls	Yes	Yes	Yes	_	_	Yes
Element Type	Coil Element: (2) 6" 1,250-watt (2) 8" 2,100-watt	Coil Element: (2) 6" 1,250-watt (2) 8" 2,100-watt	Coil Element: (2) 6" 1,250-watt (2) 8" 2,100-watt	Radiant Element: (2) 8" 1,800-watt (2) 6" 1,200-watt	Radiant Element: (2) 6" 1,200-watt (1) 8" 1,800-watt (1) 9"/6" 3,000/1,400-watt	Coil Element: (3) 6" 1,250-watt (1) 8" 2,100-watt
Element On/Hot Indicator Light	On Indicator Only	On Indicator Only	On Indicator Only	On/Hot Indicators	On/Hot Indicators	On Indicator Only
Colors	W	W/B/S	W/B/S	W/B/S	W/B/S	W

### **DIMENSIONS**

MODEL	A OVERALL HEIGHT	B OVERALL WIDTH	C HEIGHT TO COOKTOP	D DEPTH EXCLUDING HANDLE	E DEPTH INCLUDING HANDLE	DEPTH W/ DOOR OPEN 90°	CUTOUT HEIGHT	CUTOUT WIDTH	CUTOUT DEPTH
ACR2303MF	46 <sup>7</sup> /8"	29 7/8"	36"	25 <sup>5</sup> / <sub>16</sub> "	27 3/4"	46 <sup>5</sup> /8"	36"	30"	24"
ACR4303MF	46 7/8"	29 7/8"	36"	25 1/2"	27 3/4"	46 11/16"	36"	30"	24"
ACR4503SF	46 <sup>7</sup> /8"	29 7/8"	36"	25 1/2"	27 3/4"	46 11/16"	36"	30"	24"
AER6303MF	46 <sup>7</sup> /8"	29 7/8"	36"	25 5/16"	27 3/4"	46 11/16"	36"	30"	24"
AER6603SF	46 <sup>7</sup> /8"	29 7/8"	36"	25 5/16"	27 3/4"	46 11/16"	36"	30"	24"
AEP222VA	42 1/8"	19 3/4"	36"	24 1/2"	26 1/4"	42 1/8"	36"	20 1/8"	24"



#### **DIMENSIONS ARE SHOWN FOR** PLANNING PURPOSES ONLY.

For complete information, see Installation Instructions packed with product.



В Black



S Stainless Steel