30" Speed Combination Oven

Benchmark® Series - Stainless Steel HBLP752UC





HBLP752UC Stainless Steel

The Bosch speed combination oven allows for faster cooking results and features a QuietClose® door.

Features	&	Bene	fits
i catal co	-	Dene	1103

Cooks Faster than a traditional oven and can be used as a microwave.

Dampened hinges softly and quietly guide the QuietClose® door shut.

The color TFT control panel with SteelTouch® buttons is easy to use.

A full-extension telescopic rack offers safe access to the oven cavity.

The wall oven is designed to be installed flush with cabinetry.



C	and the second s	100
Genera	1	1-1-
acticita		000

Cooking modes – upper cavity	Speed oven; TFT display, 12 Auto Programs (including Auto Defrost, Melt Butter, Soften Ice Cream, Pizza), 9 Sensor Cook Programs, 9 SpeedChef® Programs, Hi & Lo Broil, European Convection, Keep Warm, Frozen Foods		
Cooking modes – lower cavity	Bake, Variable Broil (hi & low), Roast, Warm, Sabbath, Proof Dough, Convection Bake, Convection Broil, Convection Roast, Pizza, Multi Rack Genuine European Convection, Convection Conversion, AutoProbe, Fast Preheat, EcoChef, Speed Convection (Frozen Foods)		
Cleaning typ	e – Iower	Self Clean	
Telescopic r	ack	1	
Illumination type		LED (Upper) / Halogen (Lower)	
Interior lights		1 Upper / 2 Lower	
Oven Perfor	mance		
Oven Perfor Microwave p upper cavity	ower –	1000 W	
Microwave p	oower – element	1000 W 600 / 1,750 W	
Microwave p upper cavity Bake / broil	oower – element upper cavity element		
Microwave p upper cavity Bake / broil wattages – u Convection	oower – element upper cavity element upper cavity element	600 / 1,750 W	
Microwave p upper cavity Bake / broil wattages - u Convection o wattages - u Bake / broil	oower – element upper cavity element upper cavity element ower cavity element	600 / 1,750 W 1,700 W	
Microwave p upper cavity Bake / broil wattages – u Convection of wattages – u Bake / broil wattages – I Convection of	oower – element upper cavity element ower cavity element ower cavity	600 / 1,750 W 1,700 W 2,400 / 3,800 W	
Microwave p upper cavity Bake / broil wattages - u Bake / broil wattages - l Convection wattages - l	oower – element upper cavity element ower cavity element ower cavity	600 / 1,750 W 1,700 W 2,400 / 3,800 W	
Microwave p upper cavity Bake / broil wattages - u Convection of wattages - u Bake / broil wattages - 1 Convection of wattages - 1 Convection of wattages - 1	oower – element upper cavity element ower cavity element ower cavity element ower cavity	600 / 1,750 W 1,700 W 2,400 / 3,800 W 1700 W / 2000 W	
Microwave p upper cavity Bake / broil wattages - u Convection of wattages - u Bake / broil wattages - u Convection of wattages - u Technical De Watts (W) Circuit bread	oower – element upper cavity element ower cavity element ower cavity element ower cavity	600 / 1,750 W 1,700 W 2,400 / 3,800 W 1700 W / 2000 W 9,600 W	
Microwave p upper cavity Bake / broil wattages - u Convection of wattages - u Bake / broil wattages - u Convection of wattages - u Technical De Watts (W) Circuit bread	oower – element upper cavity element ower cavity element ower cavity etails ker (A) equency (Hz)	600 / 1,750 W 1,700 W 2,400 / 3,800 W 1700 W / 2000 W 9,600 W 40 A	
Microwave p upper cavity Bake / broil wattages - u Convection of wattages - u Bake / broil wattages - l Convection of wattages - l Convection of wattages - l Convection of Wattages - l Volts (V); Free	oower – element upper cavity element ower cavity element ower cavity etails ker (A) equency (Hz)	600 / 1,750 W 1,700 W 2,400 / 3,800 W 1700 W / 2000 W 9,600 W 40 A 240 / 208 V; 60 Hz	

Dimensions & Weight			
Overall appliance dimensions (HxWxD)(in)	49" x 29 3/4" x 24 1/2"		
Required cutout size – Standard (HxWxD) (in)	48 5/8" x 28 1/2" x 23 1/2"		
Required cutout size – Flush (HxWxD) (in)	49 1/8" x 30" x 24 1/2"		
Oven cavity size – upper	1.6 cu. ft.		
Overall upper oven interior dimensions (HxWxD) (in.)	9 7/8" x 16 1/2" x 16 1/2"		
Turntable – Metal Max. Cookware – upper	12 3/4" dia.		
Turntable – Ceramic Max. Cookware – upper	12 1/2" dia.		
Rack – Rectangular Cookware Max. – upper	15" x 12"		
Oven cavity size – lower	4.6 cu. ft.		
Overall lower oven interior dimensions (HxWxD) (in)	17 13/16" x 24 1/8" x 18"		
Usable lower oven interior dimensions (HxWxD) (in)	12 5/16" x 23 1/4" x 15 1/4"		
Net weight (lbs)	259 lbs		
Accessories-Included			

Accessories-Included

Upper Oven: Metal Turntable, Square rack, Ceramic Cooking Tray Lower Oven: 1 Telescopic and 2 Standard Oven Racks, Temperature Probe, Broiler Pan

Accessories-Optional



HEZTR301 30" Telescopic Rack

Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST). Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout. Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.

For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904


© BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.


30" Speed Combination Oven

Benchmark® Series – Stainless Steel HBLP752UC



Installation Details





Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST). Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout. Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.

For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904


© BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.

30" Speed Combination Oven

Benchmark® Series – Stainless Steel HBLP752UC



Installation Details



Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST). Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout. Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.

For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904

© BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.