

ELECTRICAL	Impedance(Ω)	4 Ω	
	Peak Input Power (W)	330W	
	RMS Input Power (W) CTA standards	100W	
	Sensitivity (dB at 1m) CTA standards	88dB	
	Frequency Response(Hz) CTA standards	72-24000Hz	
Woofer	Diaphragm / Color	PP Cone	Black
	Size	170mm	6-3/4 inch
	Surround	Rubber	
	Basket	Steel	
	Magnet	Ferrite	ϕ 85x12
Tweeter	Diaphragm / Color	Balanced Dome	Matte Black
	Size	30mm	1-3/16 inch
	Magnet	Neodymium	
Dimension	Width (w_Gr)	179 mm	7-1/16 in.
	Width (w/o_Gr)	165 mm	6-1/2 in.
	Height (w_Gr)	179 mm	7-1/16 in.
	Height (w/o_Gr)	165 mm	6-1/2 in.
	Top Height	6 mm	1/4 in.
	Cutout Diameter	139.6 mm	5-1/2 in.
	Mounting Depth	48 mm	1-7/8 in.
Weight	with Grille (pc.)	813g	1.8 lb
	without Grille (pc.)	733 g	1.6 lb
	Weight of Woofer Magnet	270 g	9.5 oz

ELECTRICAL	Impedance(Ω)	4 Ω	
	Peak Input Power (W)	330W	
	RMS Input Power (W) CTA standards	100W	
	Sensitivity (dB at 1m) CTA standards	88dB	
	Frequency Response(Hz) CTA standards	72-24000Hz	
Woofer	Diaphragm / Color	PP Cone	Black
	Size	170mm	6-3/4 inch
	Surround	Rubber	
	Basket	Steel	
	Magnet	Ferrite	ϕ 85xt12
Tweeter	Diaphragm / Color	Balanced Dome	Matte Black
	Size	30mm	1-3/16 inch
	Magnet	Neodymium	
Dimension	Width (w_Gr)	179 mm	7-1/16 in.
	Width (w/o_Gr)	165 mm	6-1/2 in.
	Height (w_Gr)	179 mm	7-1/16 in.
	Height (w/o_Gr)	165 mm	6-1/2 in.
	Top Height	6 mm	1/4 in.
	Cutout Diameter	139.6 mm	5-1/2 in.
	Mounting Depth	48 mm	1-7/8 in.
Weight	with Grille (pc.)	813g	1.8 lb
	without Grille (pc.)	733 g	1.6 lb
	Weight of Woofer Magnet	270 g	9.5 oz

ELECTRICAL	Impedance(Ω)	4 Ω	
	Peak Input Power (W)	330W	
	RMS Input Power (W) CTA standards	100W	
	Sensitivity (dB at 1m) CTA standards	88dB	
	Frequency Response(Hz) CTA standards	72-24000Hz	
Woofer	Diaphragm / Color	PP Cone	Black
	Size	170mm	6-3/4 inch
	Surround	Rubber	
	Basket	Steel	
	Magnet	Ferrite	ϕ 85xt12
Tweeter	Diaphragm / Color	Balanced Dome	Matte Black
	Size	30mm	1-3/16 inch
	Magnet	Neodymium	
Dimension	Width (w_Gr)	179 mm	7-1/16 in.
	Width (w/o_Gr)	165 mm	6-1/2 in.
	Height (w_Gr)	179 mm	7-1/16 in.
	Height (w/o_Gr)	165 mm	6-1/2 in.
	Top Height	6 mm	1/4 in.
	Cutout Diameter	139.6 mm	5-1/2 in.
	Mounting Depth	48 mm	1-7/8 in.
Weight	with Grille (pc.)	813g	1.8 lb
	without Grille (pc.)	733 g	1.6 lb
	Weight of Woofer Magnet	270 g	9.5 oz

ELECTRICAL	Impedance(Ω)	4 Ω	
	Peak Input Power (W)	330W	
	RMS Input Power (W) CTA standards	100W	
	Sensitivity (dB at 1m) CTA standards	88dB	
	Frequency Response(Hz) CTA standards	72-24000Hz	
Woofer	Diaphragm / Color	PP Cone	Black
	Size	170mm	6-3/4 inch
	Surround	Rubber	
	Basket	Steel	
	Magnet	Ferrite	ϕ 85xt12
Tweeter	Diaphragm / Color	Balanced Dome	Matte Black
	Size	30mm	1-3/16 inch
	Magnet	Neodymium	
Dimension	Width (w_Gr)	179 mm	7-1/16 in.
	Width (w/o_Gr)	165 mm	6-1/2 in.
	Height (w_Gr)	179 mm	7-1/16 in.
	Height (w/o_Gr)	165 mm	6-1/2 in.
	Top Height	6 mm	1/4 in.
	Cutout Diameter	139.6 mm	5-1/2 in.
	Mounting Depth	48 mm	1-7/8 in.
Weight	with Grille (pc.)	813g	1.8 lb
	without Grille (pc.)	733 g	1.6 lb
	Weight of Woofer Magnet	270 g	9.5 oz

ELECTRICAL	Impedance(Ω)	4 Ω	
	Peak Input Power (W)	330W	
	RMS Input Power (W) CTA standards	100W	
	Sensitivity (dB at 1m) CTA standards	88dB	
	Frequency Response(Hz) CTA standards	72-24000Hz	
Woofer	Diaphragm / Color	PP Cone	Black
	Size	170mm	6-3/4 inch
	Surround	Rubber	
	Basket	Steel	
	Magnet	Ferrite	ϕ 85xt12
Tweeter	Diaphragm / Color	Balanced Dome	Matte Black
	Size	30mm	1-3/16 inch
	Magnet	Neodymium	
Dimension	Width (w_Gr)	179 mm	7-1/16 in.
	Width (w/o_Gr)	165 mm	6-1/2 in.
	Height (w_Gr)	179 mm	7-1/16 in.
	Height (w/o_Gr)	165 mm	6-1/2 in.
	Top Height	6 mm	1/4 in.
	Cutout Diameter	139.6 mm	5-1/2 in.
	Mounting Depth	48 mm	1-7/8 in.
Weight	with Grille (pc.)	813g	1.8 lb
	without Grille (pc.)	733 g	1.6 lb
	Weight of Woofer Magnet	270 g	9.5 oz

ELECTRICAL	Impedance(Ω)	4 Ω	
	Peak Input Power (W)	330W	
	RMS Input Power (W) CTA standards	100W	
	Sensitivity (dB at 1m) CTA standards	88dB	
	Frequency Response(Hz) CTA standards	72-24000Hz	
Woofer	Diaphragm / Color	PP Cone	Black
	Size	170mm	6-3/4 inch
	Surround	Rubber	
	Basket	Steel	
	Magnet	Ferrite	ϕ 85xt12
Tweeter	Diaphragm / Color	Balanced Dome	Matte Black
	Size	30mm	1-3/16 inch
	Magnet	Neodymium	
Dimension	Width (w_Gr)	179 mm	7-1/16 in.
	Width (w/o_Gr)	165 mm	6-1/2 in.
	Height (w_Gr)	179 mm	7-1/16 in.
	Height (w/o_Gr)	165 mm	6-1/2 in.
	Top Height	6 mm	1/4 in.
	Cutout Diameter	139.6 mm	5-1/2 in.
	Mounting Depth	48 mm	1-7/8 in.
Weight	with Grille (pc.)	813g	1.8 lb
	without Grille (pc.)	733 g	1.6 lb
	Weight of Woofer Magnet	270 g	9.5 oz