

Seamless Stealthy Solution For Virtually Any Decor

A simple installation with no need to open the wall or ceiling to run cables. All supporting components can be enclosed in the credenza to provide a beautiful and simple solution.

Features:

- Flush top surface, recessed projector cavity design
- Extruded aluminum frame creates a support skeleton
- Pinch-out rear panels to permit fast, easy access to components and wiring
- Built-in Louvers for better air flow to keep equipment cool
- All supporting components including a speaker system can be enclosed in the credenza to provide a beautiful and simple solution. IR Repeater System required to control projector.
- · Wide variety of bolt-on options and accessories are available





MILAN
Dimensional, Diamond
Pattern, White

X/HSE245ML/GW, X/HSE10/245ML/GW



Grass-Textured Doors

X/HSE245CH/BO, X/HSE10/245MM/GW

Projector Sold Separately



Gloss Warm White

X/HSE245MM/GW, X/HSE10/245MM/GW



Wenge, Wave-Texture Doors X/HSE245BL/WE, X/HSE10/245BL/WE



Black Oak Sides, Black Glass Doors X/HSE245OS/BG. X/HSE10/245MM/GW

DENVER - OAK

Natural Oak, Bark-Textured Doors

X/HSE245DV/MW, X/HSE10/245DV/MW



Opium Brown, Linear Texture Doors

X/HSE245ZU/OB, X/HSE10/245MM/GW




Medium Walnut,
Bark-Textured Doors

X/HSE245DV/NO, X/HSE10/245DV/NO



Salamander Cabinet Designed for Hisense 4K Ultra HD Laser Ultra Short-throw Projector

2018 Salamander Designs Ltd. The information and designs contained in this drawing proprietary of SALAMANDER DESIGNS and may NOT be reproduced. Specifications subject to change without notice.





Model 100L8D 100" Diagonal image:

Place rear edge of cabinet 6" from projection surface

Model 100L10E 100" Diagonal image:

Place rear edge of cabinet 6" from projection surface

Model 120L10E 100" Diagonal image:

Place rear edge of cabinet 11" from projection surface

Model 150L10E 100"-150" Diagonal image:

Place rear edge of cabinet 18" from projection surface

