Professional Handle and Fully Flush Stainless Steel Panel Star-Sapphire 24 inch 6 Programs and 5 options DWHD651JFP

Thermador.*



Innovation

- Star Speed[™] is a full wash cycle in just 20 minutes
- Largest Wine Glass Capacity- 18 large wine glasses
- Piezo Touch Control communicates slick design and performance
- Time Remaining PowerBeam® shines the actual remaining time of the cycle on the floor
- Sapphire Glow[™] internal light illuminates glassware
- Blue PowerBeam® operating indicator lets you know when the unit is running
- Flexible 3rd Rack delivers added loading capacity as well as adjustability to accomodate larger items, wider ends and utensil handles
- Flexible Folding Tines fold down to accommodate larger pots, pans and dishes and add flexibility to hold items twice as wide as standard models and significantly wider than competitors
- Dosage Assist optimizes break down of detergent tablets

Performance

- Crystal Protection[™] System ensures perfect results for fine crystal
- PowerBoost® option increases temperature and pressure in the lower rack for the ultimate in heavyduty cleaning
- Sens-A-Wash[®] ensures superior washing and drying guaranteed
- Extra Dry option ensures perfectly dry dishes
- Hand Wash allows you to delicately wash fine items and wine glasses
- Accommodates 15 plate settings for your dinner parties
- Powerfully Quiet® 44 dBA for peaceful kitchen
 experience




- ENERGY STAR® Qualified uses only 260kWh/Yr
- Extra-Tall-Item[™] Sprinkler allows large items (22" high) to be washed

Design

- Professional Handle
- Stainless Steel Control Panel
- Sleek charcoal-grey racks with height-adjustment ability for added flexibility
- Blue LED Display
- 18/10 high-grade stainless steel interior offers longlasting reliability, never rusts and resists nicks and chips
- Silver Painted Toe Kick

Professional Handle and Fully Flush Stainless Steel Panel Star-Sapphire 24 inch 6 Programs and 5 options DWHD651JFP





Drain hose: 63" (160 cm)	Front	view	Drain hose: 59" (150 cm)
Water inlet hose: 55" (140 cm)		25	Water inlet hose: 47" (120 cm)
Electrical junction box: 113/4' (30 cm)		Electrical	Electrical junction box: 291/2" (75 cm)
:;	Inlet Drain		

All connections are at the rear of the appliance. Extension for drain hose available as accessory. Power cord for connection to electrical outlet (3-prong plug) available as accessory.

Amps (A)	12	
Frequency (Hz)	60	
Approval certificates	CSA, UL	
Plug type	120V-3 prong	
Energy consumption (kWh/yr)	260	
Total annual water consumption (g)	613	
Net weight (lbs)	102	
Gross weight (lbs)	109	
Length outlet hose (in)	55 1/8 "	
Length inlet hose (in)	55 1/8"	
Tub material	Stainless steel	
Tub type	TallTub	
Leak protection system	24/7 Aqua Stop Plus	
Number of wash cycles	5	
Optional accessories	SGZ1010, SGZ9091UC, SMZ2014, SMZ5000, SMZ5002	
Number of options	6	
Start delay time max (h)	24	
Concealed heating element	Yes	
Five-level wash	Yes	
Display	Yes	
Status indicator	End of program audible, indicator LED red, rem. time proj. White, sanitized LED US, Time remaining indic. internal	
Sanitized indicator light	Yes	
Load sensor	Yes	
Variable spray pressure	Yes	
Silverware basket	Standard	